# UNCLASSIFIED

4 6 4 7 2 2

# DEFENSE DOCUMENTATION CENTER

**FOR** 

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

## LARGE MOTOR CASE TECHNOLOGY EVALUATION

First Year Summary Progress Report

June - 1965

VOLUME I

Contract AF 33(615) - 1623

Prepared for
Air Force Materials Laboratory
Wright-Patterson Air Force Base - Ohio

THE BOEING COMPANY
Aero-Space Division
Seattle, Washington



#### LARGE MOTOR CASE TECHNOLOGY EVALUATION

First Year Summary Progress Report

June - 1965

VOLUME I

Contract AF 33(615) - 1623

Prepared for

Air Force Materials Laboratory

Wright-Patterson Air Force Base - Ohio

THE BOEING COMPANY

Aero-Space Division

Seattle, Washington

#### **FOREWORD**

This document is Volume I of a report presenting work accomplished by The Boeing Company during the first twelve month period from June 11, 1964 through June 11, 1965 in "Large Motor Case Technology Evaluation", Air Force Contract AF 33(615)-1623. Because of its length, this publication is presented in two volumes. The work was administered by the AF Materials Engineering Branch, Materials Application Division, Wright-Patterson Air Force Base, Ohio. The project engineer is Lt. Robert M. Dunco, MAAE.

The performance of this contract is under the direction of the Structural Development Unit, Structures and Materials Department, Aero-Space Division, The Boeing Company, with C. F. Tiffany as Project Supervisor, J. N. Masters, as Project Leader, and Howard A. Johnson as Non-destructive Test Program Leader.

#### NOTICE

This document may not be reproduced or published in any form, in whole or in part, without prior approval of the Government. Because this is a Progress Report, information herein is tentative and subject to changes, corrections, and modifications.

### TABLE OF CONTENTS

| VOLUME I |                        |    |  |  |  |
|----------|------------------------|----|--|--|--|
|          | LIST OF ILLUSTRATIONS  | iv |  |  |  |
|          | LIST OF TABLES         | v  |  |  |  |
| I        | ABSTRACT               | 1  |  |  |  |
| II       | INTRODUCTION           | 2  |  |  |  |
| III      | BACKGROUND             |    |  |  |  |
| IV       | WORK ACCOMPLISHED      | 11 |  |  |  |
|          | A. 623A Materials      | 11 |  |  |  |
|          | B. Alternate Materials | 2] |  |  |  |
| V        | CONCLUSIONS            | 32 |  |  |  |
|          | REFERENCES             | 33 |  |  |  |
|          | APPENDIX A             |    |  |  |  |

### ILLUSTRATIONS

| - | FIGURE NUMBER TITLE |  | PAGE       |  |
|---|---------------------|--|------------|--|
|   | 1                   | Program Summary Chart  | 34         |  |
| - | 2                   | Parent Metal Fracture Toughness Data                                       | 35         |  |
|   | 3                   | GTA Weld Toughness Data  | 36         |  |
|   | 4                   | Significance of Proof Testing in Estimation of Minimum Tank Life           | 37         |  |
| 1 | 5                   | Failure Mode Prediction 260" Diameter Case                                 | <b>3</b> 8 |  |
| I | 6                   | Failure Mode Prediction 156" Diameter Case                                 | <b>3</b> 9 |  |
| _ | 7                   | Sustained Load Tests 18 Ni (200)<br>GTA                                    | 40         |  |
|   | 8                   | Sustained Load Tests 18 Ni (250)<br>Submerged Arc                          | 41         |  |
|   | 9                   | Sustained Load Tests 18 Ni (250) GTA                                       | 42         |  |
| 1 | 10                  | Residual Stresses  | 43         |  |
| 1 | 11                  | Subcritical Flaw Growth  | 44         |  |
| Ì | 12                  | Heat Treat Response for Two Quench and Temper Steels                       | 45         |  |
| 1 | 13                  | 900°F Aging Response for HY 180/210 (12 N1-5Cr-3Mo)                        |            |  |
| 1 | 14                  | Effect of Post Weld Heat Treatment on Hardness of 9Ni-4Co-25C Weldments    | 47         |  |
| 1 | 15                  | Weld Edge Configuration  | 48         |  |
| 1 | 16                  | Composite Porosity Scatter Data  | 49         |  |
| 1 | 17                  | Lack of Fusion Scatter Data  | 50         |  |
| ı | 18                  | Weld Cracking Scatter Data   | 51         |  |
|   | 19                  | Weld Toughness Scatter Data  | 52         |  |
| 1 | 20                  | Weld Quality Comparison by Alloy and Process (Porosity and Lack of Fusion) | 53         |  |
| I | 21                  | Weld Quality Comparison by Alloy and Process (cracking)                    | 54         |  |
| 1 | 22                  | Weld Toughness Comparison by Alloy and Proces                              | s 55       |  |

## TABLES

| TABLE NUMBER | TITLE   | PAGE       |
|--------------|---|------------|
| Ī            | Materials Investigated  | 56         |
| II           | .60" Thick 18 Ni (200) GTA  | 57         |
| III          | .40" Thick 18 Ni (200) GTA  | <b>5</b> 8 |
| IV           | .75" Thick 18 Ni (250) Sub-Arc  | 59         |
| v            | .48" Thick 18 Ni (250) Sub-Arc  | 60         |
| VI           | .39" Thick 18 Ni (250) GTA (Shells)                                     | 61         |
| VII          | .39" Thick 18 Ni (250) GTA (Heads)                                      | 62         |
| VIII         | Allowable Flaw Size Comparison  | 63         |
| ΙΧ           | Allowable Flaw Size 260" Case, 18 Ni (200) GTA                          | 64         |
| Х            | Allowable Flaw Size 260" Case, 18 Ni (250) Sub-Arc                      | 65         |
| XI           | Allowable Flaw Size 156" Case, 18 Ni (250) GTA                          | 66         |
| XII          | Screening Test Data - HY-150  | 67         |
| XIII         | Screening Test Data - 9 Ni - 4 Co20C                                    | 68         |
| XIV          | Screening Test Data - 12 Ni 5 Cr - 3 Mo (180)                           | 69         |
| xv           | List of Process Variables Controlled in<br>Multiple Balance Experiment  | 70         |
| IVX          | Composition of Alternate Materials (Base Metal & Filler Wire)           | 71         |
| XVII         | Alternate Material Processing History                                   | 72         |
| XVIII        | Work Sheet for Multiple Balance Design<br>Experiment (GTA) Weld Process | 73         |
| XIX          | Effects of Process, Gas, Alloy and Filler on<br>Weld Toughness          | 74         |
| XX           | Typical Welding Rates   | 75         |
| XXI          | Summary of Multiple Balance Experiment                                  | 76         |
| XXII         | Material Comparisons  | 77         |

#### I. ABSTRACT

In this volume, the results of base metal and weldment tests, and analyses of design deviations on materials and configurations of large solid motor cases of the 623A class are presented. A resultant end product of the above is the development of tables and curves depicting allowable initial flaw sizes in weldments of three large motor case designs. Such data considers the combined effect of material toughness, anticipated subcritical flaw growth, and total applied stresses which includes the effects of designed and manufactured discontinuities.

A second phase of this program summarized in this volume is the data generated during a statistically designed experiment devoted to the development of welding processes on three promising new materials. The effects of welding process variables on weld quality and toughness (KIC) are shown.

Volume II describes the work performed to date in the area of nondestructive inspection and includes specifications for fabrication of an automated ultrasonic inspection system suitable for use on large diameter motor case weldments.

#### II. INTRODUCTION

The objective of this program is to assess material and process requirements for large solid propellant motor cases fabricated with roll-and-weld technology. Emphasis is placed on definition of material requirements for reliable performance, development and evaluation of advanced welding and inspection methods, and improvement in the engineering standards used to produce reliable motor cases.

The short-range goal includes the definition of the effects of defects, design deviations, and material quality on the performance of the two alloys presently being used in the 623A programs, and a review of the capability of present nondestructive testing techniques. The long-range goal is the establishment of large-motor-case material selection criteria and the development of sufficient detailed material, process, inspection, and subsize case performance data on motor-case materials to ensure a rational material selection prior to the initiation of potential future motor-case designs.

Initially, efforts included the evaluation of 260 inch case material-process combinations, and welding development on three alternate alloys. This was to be followed by detailed specimen and subscale case testing of the two most promising alternate alloys, and of the two 260 inch case materials. Since release of the September Progress Report, however, the program has been redirected to include an evaluation of the 156 inch case material-process combination. This has required the elimination, subsequent to the multiple balance experiment, of two alternate alloys instead of one.

A summary chart of the program plan showing the major areas of investigation is shown in Figure 1.

#### III. BACKGROUND

Before discussing detailed data being developed on this program, it appears appropriate to briefly describe the role fracture toughness testing and fracture mechanics analysis play in material selection efforts. Further, it is felt necessary to define the more important relations of these items with design, stress analysis, fabrication, and non-destructive inspection procedures in obtaining reliable and economical motor cases.

From examination of many past motor case and pressure vessel failures it becomes apparent that the primary causes for failure are pre-existing flaws. Also these past investigations have indicated that failure occurs when the flaw tip stress intensity attains a critical value which is commonly called the plane strain fracture toughness,  $K_{\text{IC}}$ . In a simplified form, the stress intensity, K, at the leading border of a surface or internal flaw can be described by the following:

$$K = 1.1\sqrt{\pi} \sigma (a/Q)^{\frac{1}{2}} M_K$$
 (1)

where

a = semi-minor axis of an elliptical flaw

σ = applied gross stress

Q = Flaw shape parameter

 $M_{\widetilde{K}}$  = magnification factor to account for deep flaws, multiple flaw interactions, etc.

1.1 applies for surface flaws, and drops to unity for internal flaws.

At onset of rapid propagation and fracture;

$$K_{IC} = 1.1\sqrt{\pi} \sigma(a/Q)_{cr}^{\frac{1}{2}} M_{K}$$
 (2)

By describing the critical flaw size,  $(a/Q)_{cr}$ , as the allowable initial size,  $(a/Q)_{i}$ , plus anticipated subcritical flaw growth, Equation (2) can be rewritten as:

Allowable 
$$(a/Q)_{i}$$
 + Subcritical =  $\frac{1}{1.21}\pi \left(\frac{K_{1C}}{M_{K}\sigma_{m}}\right)^{2}$  (3)

where:

 $\sigma_{m}$  = total applied stress

Analysis of each element of Equation (3) is required and will be discussed in this report.

In considering large diameter motor cases, one must consider the following questions:

- What K<sub>TC</sub> values are of primary interest?
- 2) What determines the total applied stress level,  $\sigma_{\eta}$ ?
- 3) What type of subcritical flaw growth might one expect?

In answer to the first question, it is apparent that weldments and heat affected zones (HAZ) are of primary importance for  $K_{\underline{IC}}$  determination for two reasons. First, weldment and HAZ toughness values are generally lower than parent metal values, and secondly, the probability of flaw occurrence is highest in these areas.

Accordingly, primary emphasis in the alternate materials portion of this program is placed on the determination of weldment and HAZ  $K_{IC}$  values and in determining the influence of process variable on these values. Additional emphasis will be placed on thick section properties.

In answer to the second question, the applied primary stresses in a motor case are dependent upon the design factors of safety and the selected heat treat strength level. But as important, the determination of critical flaw sizes or allowable initial flaw sizes must include consideration of:

- 1) Secondary or discontinuity stresses inherent in the design (e.g., head to shell joints).
- 2) Secondary stresses resulting from design deviations (e.g., linear and angular mismatch).
- 3) Possible residual stresses

Later paragraphs will discuss procedures used to determine these secondary stresses and show the probable influence of these stresses on critical flaw sizes. Also, included are the results of residual stress measurements made on the Aerojet and Thiokol 260 inch diameter motor cases.

with regard to subcritical flaw growth, probably the most important consideration is the possibility of environmentally induced sustained stress growth during proof testing or during actual motor firing. Also, if there are high residual tensile stresses, there is the possibility of flaw growth under zero pressure.

While one might expect that the pressurization times are not sufficiently long to worry about sustained stress flaw growth, this cannot be assumed. For instance extremely large amounts of flaw growth have been observed in the 4340 type steels operating in a damp environment. For this reason each of the 623A materials and the alternate alloys were tested (both base metal and weldments) to define flaw growth characteristics.

Our inhouse research on motor case materials which is being extended on this program included the investigation of some 14 alloys. These efforts were based on the investigation of parent metal and weldment fracture toughness, subcritical flaw growth, and fabrication characteristics. Yield strength levels ranged from about 140 KSI to 280 KSI. These materials are summarized in Table I. The typical base metal plane strain fracture toughness values are shown in Figure 2, and typical weld metal fracture toughness data is shown in Figure 3. In both Figures 2 and 3, arrows depict those data points where specimens failed after net section yielding, and thus  $K_{IC}$  values are known to be greater than indicated. From these illustrations, it is apparent that toughness reductions would be expected with increasing strength levels. In considering these trends, two fundamental questions are raised:

- 1) What material strength level is required for large diameter solid motor cases?
- 2) How high a toughness value is needed to guarantee a reliable motor case?

In an attempt to obtain an answer to the first question, in 1963, a systems study was initiated on two large launch vehicles utilizing 260" first stage motors and liquid upper stages. One vehicle was designed to place 500,000# of payload in a 300 mile earth orbit, the other to place 1,000,000# in orbit. These studies have been reported elsewhere (Reference 1), and can briefly be summarized as follows. First, by holding all propellant weights constant, it was seen that a decrease of first stage case tensile strength from 250 down to 150 KSI results in a payload reduction of only three to four percent. Secondly, three cases were designed utilizing 150, 200, and 250 KSI strength materials (HP150, Ladish D6 at 200 KSI, and 18 Ni 250). Cost estimates were

developed by Boeing and by three companies experienced in constructing large structures. The results of these estimates were then used in constructing a curve of case strength versus relative cost per pound of payload in orbit. The overall result was that total vehicle economics was completely insensitive to first stage case strength level. Recognizing that any contingencies such as an expected higher proof test failure rate in the higher strength materials, it became apparent that actual vehicle cost savings might accrue from use of the lower strength materials.

Based upon this study, no apparent advantage could be seen in using the very high strength materials in 260-inch diameter cases. With regard to the 156-inch diameter cases, the question as to required strength is still unanswered. Intuitively, it is felt that vehicle performance may be slightly more sensitive to case strength level, but to our knowledge there is no such data available.

The answer to the second question (i.e., what  $K_{\overline{IC}}$  values are required to ensure reliability?) is not a simple one, however, the following illustrates what is felt to be a practical approach.

It is clear that from an economics standpoint we cannot afford many proof test failures, and from the standpoint of both economics and personnel safety, the prevention of service failures is mandatory. Obviously, if an accurate job of defining allowable flaw sizes is done, materials and fabrication processes are selected which result in a low probability of flaw occurrence, and if non-destructive inspection procedures are developed which guarantees detection of all flaws larger than allowable, neither proof

test nor service failures should be encountered. Unfortunately, this goal has not yet been attained, and other tools must be investigated to help guard against failure.

The potential value of the proof test in assuring subsequent service life was discussed in the 5th report of the ASTM Committee on Fracture Testing (reference 2). This is illustrated in Figure 4. As seen in this figure, maximum initial to critical flaw size ratio,  $(a/Q)_1/(a/Q)_{\rm cr}$  is equal to  $1/a^2$ , where a is the proof test factor. Similarly, the maximum initial-to-critical stress intensity ratio,  $K_{1i}/K_{1c}$ , is equal to 1/a. Both are independent of the actual proof stresses, and the actual material toughness values. This is significant since the actual proof stresses may be different because of design or manufactured discontinuities, and because the toughness values will likely vary between base metal, weldments, and forgings.

Also, as noted in the Figure, the minimum flaw growth potential in the tank  $(a_{\rm cr}/Q_{\rm cr}-a_{\rm i}/Q_{\rm i})$  is equal to  $(1-1/a^2)$ . The task then lies in evaluating the flaw growth characteristics of the case materials, to ensure that flaw growth during service is indeed less than the growth potential noted above. As will be seen in the body of the report this does not appear to be a critical problem for the materials under study, and for the expected service requirements of large cases.

The final question remains, then, of how to prevent proof test failures. An obvious approach would be to utilize a material with sufficient toughness such that any subcritical flaw would have to grow through the thickness

prior to reaching critical size. Such a case would then leak rather than fail catastrophically and it could be subsequently repaired.

Such a criterion could be met in a case if the critical flaw size at proof pressure for the worst shape flaw (i.e., a long elliptical surface flaw) is greater than the case thickness. Such a criterion could obviously not be met if under the same pressure the most favorably shaped flaw (i.e., an internal penny shaped crack) attained critical size prior to exceeding a diameter greater than the case thickness. Using this approach, Figures 5 and 6 have been constructed. In Figure 5, a hypothetical 260-inch case is illustrated, with design pressures and factors as noted. The relation of weld toughness versus yield strength shown earlier in Figure 3 is repeated. Superimposed on this band, are two cut-off lines depicting the two extremes just mentioned. It is seen that through the use of materials with yield strengths greater than about 200 KSI failure prior to leakage is a certainty for even the most favorable flaw shape. Through the use of materials with yield strengths of about 150 KSI and under, critical long surface flaws are greater than thickness, and a leak before failure condition prevails. Between these two extremes, failure mode is dependent upon actual flaw shapes and locations. Figure 6 illustrates the same approach for a 156-inch case with the same design factors. Here it is seen that because of thinner cylindrical shell requirements, higher allowable design strengths are acceptable.

This background discussion has attempted to convey the following major points.

- 1) Pre-existing flaws are the primary cause of unreliable motor case behavior.
- 2) Allowable flaw size determination requires an accurate knowledge of  $K_{\text{IC}}$  values, subcritical flaw growth, and total motor case stresses.
- From the primary standpoint of reliability (although vehicle economics are not ignored) it is desirable to have weldment  $K_{\overline{IC}}$  values in excess of about 160 or 170 KSI  $\sqrt{IN}$  for 156-inch motor cases, and in excess of about 200 KSI  $\sqrt{IN}$  for the 260-inch cases.

The program described in the following paragraphs has been planned around these three major points.

#### IV. DISCUSSION

The following sections describe the work accomplished to date in the three major areas of investigation (i.e., 623A Class materials, alternate materials, and non-destructive testing). Early program results are summarized where necessary for understanding of the detailed presentation of the results of the last quarter.

#### A. 623A Class Materials

The specific goal of this portion of the program is the establishment of flaw acceptance criteria and allowable weldment design deviations (i.e., mismatch and sink-in) for the large diameter maraging steel motor cases of the 623A type. This necessarily requires an evaluation and understanding of static fracture and subcritical flaw growth characteristics of the appropriate material - process combinations and analyses of total stresses in typical weldments in the three 623A cases.

#### 1. Testing Approach

In order to establish realistic baseline toughness values and flaw growth characteristics of existing large case materials, all weldment tests are being performed on panels fabricated by the three 623A motor-case contractors. In each case, material thicknesses were selected to duplicate full scale head and shell requirements. Limited tests were performed on base metal, with primary emphasis on weldments (centerline and heat affected zones, HAZ). Base metal was purchased specifically for use on this program, weld wire (and flux where applicable) was supplied by the case contractor. Weldment-grain direction orientations were selected to represent what was felt to be the most critical combination. That is, welds in gages representing cylindrical shells were placed perpendicular to the primary plate rolling

direction, thus duplicating the longitudinal shell weld. For the thinner gages representing head thickness, weldments were placed parallel to the primary plate rolling direction. All specimens were pulled transverse to the weld. Fatigue cracked surface flaw specimens were used for toughness and flaw growth studies for most weldments. One exception was the use of cracked round notch bars on .75 inch thick 18 Ni (250) weld panels.

Static specimens were tested in air at room temperature by loading at a rate required to produce a complete failure within one to three minutes. Sustained load tests were performed by loading to approximately 85% of the critical stress intensity (K<sub>IC</sub>, as determined from the prior static tests) and holding at this level until failure or for 24 hours. If failure did not occur at this time, the stress intensity level was increased five percent. With no failure for an additional 24 hours, the load was increased directly to failure. As described later, these tests were performed in either air, or under a 3-1/2% salt solution spray environment.

Flaws in the HAZ specimens were placed so as to intersect the coarse grained zone immediately adjacent to the fusion line. Flaw shape on these specimens was semi-circular where possible, so that stress intensity around the crack periphery was essentially constant. Such flaw placement was suggested from a series of smooth tensile specimen fatigue tests. Here, specimens were cycled at a maximum tensile stress of 80% of yield until failure or until a crack was observed. Three out of four 18 Ni (250) specimens (GTA and submerged are weldments) developed cracks in the noted coarse grained location, and one in the weld centerline. Both 18 Ni (200) specimens failed in base metal, distant from any weld affected structure.

#### 2. 18 Ni (200) Test Results

Compositions of base metal and filler wires used in this series of tests are as shown below:

FORM TFG HEAT C M<sub>m</sub> P S Si Ni Cr Mo Al Ti Co

Base Repub 3951104 .014 .05 .004 .007 .02 18.20 .10 4.32 .11 .25 7.75

Wire Spcl Mtls 6-3343 .010 .01 .005 .004 .004 18.02 - 3.62 .079 .27 7.74

Base metal tests as reported in earlier reports indicated longitudinal and transverse  $K_{\rm IC}$  values from surface flaw specimens (with flaw normal to plate surface) of approximately 156 and 138 KSI  $\sqrt{1N}$  respectively at a yield strength averaging 230 KSI. Single edge notch specimens (with crack moving parallel to plate surface) gave average  $K_{\rm IC}$  values of 115 and 103 KSI  $\sqrt{1N}$  for longitudinal and transverse directions respectively.\* Both sets of specimens had been aged at 900°F for 4 hours.

Toughness values from panels welded (and aged 900°F 8 hours) by Sun Shipbuilding and Drydock Company shown in earlier reports are reproduced in Table II and III. Briefly, these data show HAZ and .62 thick weld centerline toughness values from five to ten percent lower than base metal. An additional small reduction in manual repair weld toughness is suggested, and a more significant reduction is seen in the .40 weld centerline values of 113 and 119 KSI  $\sqrt{IN}$ .

Sustained load surface flaw tests were then run, utilizing the data generated in the static tests. The data developed during this series of

<sup>\*</sup>Distinct discontinuity in load deflection curves were not usually observed in this series of tests.

tests are shown in Figure 7. It is noted that in eleven out of twelve test runs in ambient air (50% average hum\_lity) failure did not occur during the 24 hour hold, even with initial applied K<sub>I</sub> levels from 90 to 95 percent of critical. This behavior is as good as that seen on most base metal alloys tested in air. The only exception was a .40 inch thich HAZ specimen (note, transverse grain) which failed within the band of data from specimens tested in salt spray. Such band suggests a sustained load stress intensity threshold level of approximately 75 percent of critical. The significance of the above noted data will be discussed in later paragraphs.

3. 18 Ni (250) Test Results (Submerged arc welds)
Compositions of base metal and filler wires used in this series of tests
is as shown below.

FORM MFG HEAT C M<sub>m</sub> P S Si Ni Co Mo Al Ti
Base Repub. 3321290 .017 .10 .005 .005 .07 17.93 7.80 4.98 .10 .46
Wire\* ARMETCO 09391 .02 .08 .002 .007 .02 17.95 7.88 4.82 .08 .65
Wire\*\* ARMETCO 09395 .01 .08 .002 .005 .02 18.28 7.88 4.59 .08 .49

Base metal, (.48 and .75 inch plate) fracture tests as reported in earlier reports indicated a longitudinal  $K_{IC}$  of 116 KSI  $\sqrt{IN}$  and long transverse of 86 KSI  $\sqrt{IN}$  from surface flaw specimens (with flaw normal to plate surface) and values in the 80's and 90's in both principal directions from single edge notch and round notch specimens. This material has been aged at 835°F for four hours and exhibited yield strengths of 260 KSI transverse

<sup>\*</sup> Sub-arc Welds

<sup>\*\*</sup>Manual GTA Repairs

(.48 inch plate) and 250 KSI longitudinal (.75 inch plate).

Panel welds from Newport News Shipbuilding and Drydock Company displayed yield strengths of 198 and 184 KSI for the .48 and .75 inch panels respectively. Though some fracture specimens were tested at this strength level, most were aged two-and-one-half hours (in addition to the Newport four-hour age) at 835°F to increase the strengths to what was felt to be more representative of the fill scale structure. Though the resulting strengths (225 and 213 KSI respectively) and microstructure more closely represent the case, such history must raise the question of applicability of the generated specimen data. Valid static toughness values that were obtained on the panel welds after re-aging were in the order of 55 to 58 KSI VIN in the .48 inch plate. The .75 inch panel was first tested using round notch bars, which resulted in calculated values of around 40 KSIVIN. In attempting to determine if variations in toughness existed between the first and second sub-arc pass, two specimens were prepared from a .75 inch panel. One with a surface flaw extending into the first pass side, and one in the opposite side. The resultant values\* were 79.3 and 81.8 KSI  $\sqrt{\text{IN}}$ . This compares favorably with values of 89.0 and 77.5 KSI  $\sqrt{10}$  taken earlier in .48 inch "second pass" surface flaw tests in as received material. Weld test data is summarized in Table IV and V.

Because of the above noted findings, sustained load tests were performed only on the .48 inch panels from which surface flaw specimens had already been machined. The results of these tests are shown in Figure 8. For comparative purposes, the data is superimposed on the 18 Ni (200) weld

<sup>\*</sup>These specimens were "as received" (i.e., not re-aged)

data presented in Figure 7. Little difference is seen in the two sets of specimens. That is, the flaws appear to be extremely stable in ambient air environment and stress intensity threshold level for initiation of subcritical growth is about 75 percent of critical in a salt spray environment.

4. 18 Ni (250) Test Results (GTA Welds)

Composition of base metal and filler wire used in this series of tests are as shown below:

FORM MFG HEAT C M P S S1 N1 Co Mo A1 T1

Base USS X53690 .02 .06 .004 .011 .02 18.06 8.10 4.82 .13 .38

Wire ARMETCO 08850 .01 .03 .002 .005 .03 18.10 8.00 4.52 .10 .46

Tensile and fracture data of base metal (.39 plate) aged 900° for three hours is shown below:

|              | F <sub>tu</sub><br>KSI | si ksi | $K_{IC}$ KSI $\sqrt{IR}$ |                           |
|--------------|------------------------|--------|--------------------------|---------------------------|
| Longitudinal |                        |        | Surface Flaw<br>88.8     | Single Edge Notch<br>84.5 |
| Transverse   | 246                    | 237    | 82.9                     | 75.9                      |

Toughness values from panels welded (and aged 900°F 3 hours) by Excelco Developments are shown in Table VI and VII. As with the 18 Ni (250) submerged arc weld tests, weld centerline  $K_{\rm IC}$  values appear to be significantly lower than that of base metal. Likewise HAZ test results, again from surface flaw specimens, show calculated values consistently higher than that of base metal. Such values are obviously affected by layered structure and should be treated with caution. As shown in Table VII, a significant difference in weld centerline  $K_{\rm IC}$  values were observed between groups of specimens taken from two panels which were supposedly processed in a

similar manner. Significant differences in ductility were also observed (4% RA versus 38% RA), while tensile strengths compared favorably.

Sustained load data developed from the Excelco weld panels are illustrated in Figure 9. As before, the data is superimposed on the 18 Ni (200) scatterband. From this figure it can be seen that in ambient air environment the flaws are extremely stable, but significant growth is experienced in salt spray. Growth rates are slightly higher than in the lower strength materials discussed earlier; however, a threshold level of 75 percent of  $K_{\rm IC}$  appears to be a safe estimate. The significance of this data is discussed in Paragraph IV.A.6.

#### 5. Design Deviation Analyses

The planned design deviation analyses has now been completed and is included as Appendix A. These analyses deal primarily with longitudinal and girth weld mismatch and sink-in. The ultimate objective of these studies, when coupled with previously noted test phases, is to define allowable weldment flaw sizes in vessels containing what is considered to be typical deviations from ideal contour.

As might be expected, it has been observed that the most important deviation (in terms of expected dimensional control problems, as well as in terms of the impact of the given deviation) are probably associated with head to-y-ring girth welds\*. The primary reason for this is that applied moments caused by a given deviation tend to be linearly proportional to the dimensional value of the deviation (e.g., the sink-in in inches), and the resultant stress is inversely proportional to the square of the thickness.

<sup>\*</sup>Nozzle-ring to head junctures are not included in this study.

A brief discussion of the effects of what are considered to be typical deviations on critical flaw sizes of existing cases is included in Paragraph IV.A.7.

#### 6. Residual Stress Measurements

Residual surface stresses were measured utilizing X-ray diffraction techniques (Reference 3) at several areas of each of the two 260 inch diameter cases. The measurements were made after the aging cycle on I.D. and O.D. surfaces, on the weld centerline, in the heat affected zone, and in virgin base metal. The surfaces were sufficiently smooth so that additional surface preparation was unnecessary.

Detailed results were included in earlier reports and are summarized in Figure 10. The numbers shown in tabular form are the averages (in thousands of pounds per square inch) of several readings taken at the loactions shown. Each data point is believed to be accurate within plus or minus ten KSI.

Data from flat panels welded and aged by Sun Ship and Newport News are also shown in Figure 10. Diffraction measurements were made on as-received surfaces, and on successively deeper surfaces exposed by electropolishing, in three mil increments. Longitudinal and transverse values, in weld centerline and heat affected zones from both panels are included in the same illustration. It is seen that readings taken on the original surface are generally comparable to those measured on the actual cases, and though tension stresses are occasionally observed, the trend approaches zero stress at approximately 15 to 25 mils from the surface.

On the basis of these measurements, it has been chosen to ignore the effects of residual stresses in the computation of allowable flow sizes in the large maraged cases.

#### 7. Allowable Flaw Size

The allowable flaw size in a motor case is defined as the critical flaw size minus the subcritical flaw growth anticipated during service life of the case. Use of the sustained load flaw growth data reported earlier can be illustrated as in Figure 11 (a), (b), and (c). Figure 11 (b) relates critical flaw size versus total applied stress for material of any toughness. If critical flaw size at an operating stress of unity is designated 100 percent, it can be seen that critical size at a proof stress of 1.1 times operating, is  $(1/1.1)^2 \times 100$ , or 83 percent of critical at operating. That is, any case which successfully passes a 1.1 proof pressure could not have contained a crack-like flaw any larger than 83 percent of critical at operating pressure, or else the case would have failed before reaching the proof pressure. By cross plotting the lower bound of the sustained load tests shown earlier\*, it is seen that it would take an approximately 60 minute operational load cycle before a flaw 83 percent of critical would be expected to grow sufficiently to cause failure at the firing pressure. Flaw growth during one firing cycle, therefore, is not felt to be significant.

Recognizing that hydrostatic test pressurization rates in the large cases might be relatively slow and that the case might actually be held at pressure several times for instrumentation read-out, the possibility of

<sup>\*</sup>Note that the ordinate of Figure 7 thru 9 is squared to construct the Figure 11 (c) curve.

growth during the proof test cycle should probably be considered. This is illustrated in Figure 11 (a). By assuming that a flaw exists before testing which is just barely under critical size at proof pressure, measurable growth might be expected at pressures above 70 percent of proof (since the lower-bound  $K_{\rm II}/K_{\rm IC}$  threshold lies at about 70 percent.) Therefore, a conservative estimate of allowable flaw size would be a size equal to 90 percent of the critical size at proof stress.

With this approach, allowable flaw sizes for three 623A cases are shown in Table VIII. These represent the effects of membrane stresses only (i.e., they do not account for designed or manufactured discontinuities), and are based on weld centerline KIC values shown earlier. Stress levels indicated are based on proof pressures and minimum design thicknesses as indicated.

Though detailed discussion of the effects of weld contour deviations is included in Appendix A, examples of typical deviation effects are illustrated for the three cases in Tables IX, X, and XI. Membrane stress allowable flaw sizes are included for comparative purposes. Rather rapid decreases in allowable flaw sizes with only moderate deviations are apparent. For instance, where bulkhead allowable flaw size due to membrane stress in the 18 Ni (200) large case is approximately .14 inches, this is reduced by about 50 percent in a Y-ring weldment containing a five percent ( $\delta = .05 \times .34 = .017$  inch) mismatch. The probability of having deviations of this magnitude is extremely high.

#### B. Alternate Materials

As illustrated earlier in Figure 1, the overall plan of the alternate materials phase of this program included the screening of several candidate materials, weld evaluation of three of the most promising alloys, and detailed testing (specimens and vessels) of a single alloy. From results of the screening tests performed early in the program two quench and temper steels (5Ni and 9Ni) and one maraged steel (12Ni) were selected. The screening test data for these three alloys is shown in Tables XII, XIII, and XIV. Note that in many instances  $K_{IC}$  values are conservative and are so indicated. During the last quarter the first part of the weld development program was completed (i.e., the multiple balance experiment) and the 9Ni alloy was selected for continued study. Final weld optimization, detailed tests of the selected weld process, repair weld evaluation, thick section property tests, and the subscale case fabrication are now in work. The following paragraphs discuss the approach and results of the weld development program.

#### 1. Multiple Balance Experiment

At the outset of this program, it was decided that the program objectives would most assuredly be reached if a statistically designed experiment were to be employed. The experimental procedure selected was the Multiple Balance Design. This test plan permits evaluation of an unlimited number of test variables without undue complexity or cost. Table XV lists the variables evaluated.

Base Alloy: Three steels (two quench and temper and one maraging steel) were selected based upon early screening tests as being most promising as alternate materials. Tables XVI and XVII.

Filler Alloy: Three filler alloys were selected for each base alloy, one being the composition shown best by preliminary studies and two

modifications to improve toughness, strength or weldability.

Compositions C, D and H in Table XVI are similar to compositions shown good by previous studies. Compositions B and I approach base metal composition of the 5Ni and 12Ni steels. Alloy A is a low strength modification of C. Alloy E is a modification of D with increased Mn and Si to improve GMA weldability. Alloy F is a high Co Modification of the base metal to promote self tempering by raising the Ms temperature. Alloy G offers a strength level intermediate between H and I and increased Mo and decreased Cr should provide better toughness.

Filler alloy size: Two wire sizes .045 and .062 inch diameter were employed primarily to affect current densities in GMA process.

Pre-Weld Heat Treatment: The 12Ni maraging steel was welded only in the solution annealed condition; the two quench and temper steels were tempered at one of three levels between 850 and 1075°F.

Figures 12 and 13 show the heat treat response of the three steels.

Post-Weld Heat Treatment: The 12Ni steel was given one of three post weld age treatments, 4, 8, or 12 hours at 900°F. The 5Ni and 9Ni steels were given one of four post weld treatments: none, temper weld pass, 2-hour temper at 600°F, or a re-temper in accord with the pre-weld heat treatment. Figure 14 shows a hardness traverse across a 9Ni-4Co weldment after each heat treatment.

Pre Heat and Interpass Temperature: Two temperatures 150 and 300°F were employed.

Post Heat Hold: The interpass temperature was held for 0 or 30 min. after completion of the final pass and then the part allowed to

naturally air cool.

Weldor: Two weldors were used one for each shift.

Engineer: Two engineers directed the operation one for each shift.

Shift: The welding was done in two shifts approximately 2/3 on the day shift and 1/3 on the night shift.

Priority Number: The order in which the panels were to be welded was determined by a random draw.

Weld Process: The bulk of the effort was placed on one of three processes, GTA, GMA and GMA (HD) with a lesser effort on GMA (short arc) and Submerged arc.

Weld Joint: To joint configurations were used for each process, one wide and one narrow. Figure 15 illustrates the joint details.

Weld Energy: Four energy levels were used, 10, 20, 30, and 40 kilo-joules/inch/pass.

Weld Speed: Two relative speeds were used for each heat setting, a relatively fast and a slow.

Shielding gas: Five gases were employed: Argon, Helium, Helium + Argon + CO<sub>2</sub>, Helium + Argon + Oxygen and Argon + CO<sub>2</sub>.

Gas Flow Rates: Two flow rates were used, 40 and 80 cfh.

Cup to Work Distance: Two separation distances between the torch cup and the work were used in the GMA p. ocesses .7 and 1.0 inch.

Tip to Work Distance: Two electrode extensions were used in the GMA processes .5 and .7 inch.

Filler Wire Feed: Two feed rates for the auxiliary wire were used, fast and slow.

Cleanliness: Two cleanliness ratings were given, clean and not clean.

Trailer Shield: A trailer shield with Argon gas was or was not used.

Three independent multiple balance plans were constructed, one for each of the three weld processes under consideration. This breakdown was selected to reduce the complexity of each plan and because each process had slight variations which could not be matched.

A typical plan layout is illustrated in Table XVIII. It is subdivided into four subgroups; each subgroup contains no more combinations than tests to be performed. The first has 24 combinations, the second 16, etc. Sample numbers were selected at random and assigned to a cell of subgroup 1 until all were filled. The same sample numbers were then redrawn using a table of random numbers and assigned to cells in subgroup 11 until these were all filled. The extra numbers were then assigned in such a manner as to maintain balance. This process of drawing numbers continued until all four subgroups of each multiple balance plan were filled and all sample numbers had been assigned.

The welding proceeded according to the plan. Test panels were assigned a priority number and pulled from the stack according to lowest priority. Base metal and filler wire delivery delays forced extensive changes in the originally planned schedule but the random selection philosophy was maintained.

An example of how the multiple balance plan worked with pre-determined settings follows: Sample #71 was welded using 10 kilojoules, wide joint, fast speed, fast feed rate, 40 cfh of A, no trailing shield, well cleaned parts, 9Ni-4Co-.25C, .045" dia. "d" filler, 975°F temper, 150°F preheat and interpass

temperature with no hold time after completion of the weld. The variables of operator and observer were not preplanned; the parts were welded as they came and whichever operator was on duty at the time welded it. The postweld heat treatment was selected at random and for #71 was 1 (as-welded).

Prior to welding each test part, a "bead on plate" weld was made to establish the specific voltage, current and travel speed to establish a stable weld and yet have the predicted heat input. A plus or minus 10% variation was allowed in the heat input to permit improved weld stability but in spite of this, many of the welds were far from ideal. Very little could be gained from earlier welds because of the hundreds of combinations available. In general, welding voltages were established within a 2-volt range by the shielding gas, the amperage by the travel speed range and electrode diameter and the welding speed was the final adjustment to attain the desired heat input. Minor variations of each were then made to achieve stability. Once a setting was established, it was used in the test panel. Further minor variations were made in the settings if determined necessary. If gross surface porosity were encountered, this was ground out and rewelded. Manual repairs were employed as necessary to complete the weldment. No repair was used on crack-like defects.

Upon completion of the welding, each panel was radiographed. The films were then inspected for three distinct defect types, porosity, cracks and lack of fusion. Porosity was rated 1-5 with 1 and 2 being good, 3 fair and 4 and 5 poor. Cracks and lack of fusion were both measured by the cumulative total length of weld containing the defect. This was reported as ranging from 0 to 9 inches. Visual observations were made and recorded on the log sheets as the welds were made but the lengths of cracks noted were not recorded. Additional crack-like defects have been noted on the fracture surfaces but these have not been correlated.

Following radiographic inspection those samples considered to be of testable quality were given the post weld heat treatment and then machined and tested.

Each of the four evaluation criteria, fracture toughness, cracking, lack of fusion and porosity, were subjected to analysis by use of scatter plots.

Scatter plots have been made for each process-criterion combination for a total of 12. These have been condensed into 4 composite plots in Figures 16 through 19, which show the scatter as affected by the major variables.

#### Porosity

Figure 16 shows the scatter plots based upon porosity; from this diagram it can be seen that the entire sample had a 39, 22, 16, 13, 15 distribution. How each of 20 factors affected this distribution is shown. The mean is indicative of relative effects. This chart shows that the most important factors affecting porosity are the base alloy and welding process. Other factors having significant influence are welding speed, heat input, filler size and the shielding gas. In the GMA process the higher heat welds had more porosity whereas in the GTA process the higher heat welds had less porosity. The 9 Ni- 4Co consistently had the highest porosity and the 5 Ni consistently had the least porosity. The porosity level of the GTA welds was considerably below that of the GMA welds. The 062" dia. electrode produced less porosity than the 045" dia. by the GMA process but the wire size had little or no effect on the porosity of the GTA and GMA (HD) processes. Slow welding speed reduced the porosity level. The effect of the gas composition appears somewhat erratic and has not been clearly evaluated. All other factors appear to have a very minor effect on the porosity level of the weldments.

#### Lack of Fusion

Figure 17 is a scatter plot based upon lack of fusion instead of porosity but only process and alloy are defined. The most important factor is base alloy with the 12 Ni being the least prone to lack of fusion and the 5 Ni being most prone to lack of fusion. Other factors affecting fusion include wire size, speed and joint. The larger diameter wire, slower speed and wider joint favored the lesser degree of lack of fusion.

Replicate samples did not show a close duplication with respect to lack of fusion as they did with respect to toughness, porosity and cracking.

Because of the poor duplication, less certainty can be placed on conclusions regarding lack of fusion than on any of the other factors.

#### Cracking

Figure 18 is a scatter plot for weld cracking. The most important factors are alloy and process. The 5 Ni exhibits a much shorter average crack length than the 9 Ni and 12 Ni. The 9 Ni exhibits a slightly shorter average crack length than the 12 Ni. Other factors affecting the cracking are: heat, joint and speed. The higher heat, wider joint and slower speeds promote less cracking. The GTA process appears to exhibit the best quality.

#### Toughness

Figure 19 is an abbreviated scatter plot for weld toughness showing only the more important variables. Differences which appear apparent between processes are a result of confounding between the processes and gases. Detailed examination revealed the shielding gases to be the primary factors and in particular the O2 and CO2 are the ingredients reducing the toughness.

A detailed description as to how the multiple balance data can be analyzed is contained in Reference 4. A brief description follows:

Once the scatter plot is drawn, a visual check shows which factor or factors are most important. The means of each column of the most important factor are determined and the differences subtracted out, e.g., the mean toughness of 5 Ni is 168+, for 9 Ni 125 and for 12 Ni 120. Consequently, every sample or 5 Ni is adjusted by adding -43 and every sample of 12 Ni is adjusted by adding +5. After the adjustment is made, the data is again plotted and again checked for main effects. Gas and filler wire are then found to be important. After these three factors are corrected, the original scatter of 130 KSI is reduced to 65, allowing analysis of the other variables.

The analysis of the multiple balance plans was carried only so far as to insure proper selection of an alloy to be carried into the factorial optimization plan wherein only one alloy will receive process optimization. This alloy selection has been made although the two alloys 9Ni and 12 Ni are nearly equal in all respects. A detailed comparison between alloys is contained in Figures 20 through 22. These bar charts serve to show the similarities and differences of the three alloys investigated to the exclusion of the other factors and summarize the data previously presented by the scatter plots.

Figure 20 compares the alloy and welding process in terms of porosity and lack of fusion. The superiority of the 12 Ni is the result of its increased fluidity with respect to the other two alloys. The 5 Ni has the least porosity because it is the only one of the three alloys with sufficient scavengers

Mn and Si to be effective in GMA welding.

The GTA process offers a much greater latitude of useful welding conditions; consequently better overall weld quality was attained. The extra instability added to the GMA process by the cold wire addition caused the GMA (HD) process

to have the highest porosity level of the three processes. The reason is partly due to operation in non-ideal ranges.

Figure 21 compares the average crack length for each alloy and process by X-ray inspection. The obvious superiority of 5 Ni is apparent. The low average crack length in the GTA process is partly attributable to the low metal build-up per pass. All GTA panels of 9 Ni and 12 Ni had cracks in the root passes but subsequent passes were able to either melt them out or close the cracks so tightly as to be undetectable by X-ray. The degree of excess penetration was less in the GMA processes so fewer cracks were healed. The addition of a second filler supply to the weld puddle in the GMA (HD) process supplies a sufficient amount of strength to the hot weld to cause a substantial reduction in cracking.

The cracking frequency as determined by unaided visual inspection shows the relative crack susceptibility of the three alloys under normal welding conditions rather than by an artificial "bead-on-plate" test. The 5 Ni is far less susceptible to cracking, the 12 Ni is most susceptible to cracking and the 9 Ni has an intermediate susceptibility.

Figure 22 compares the alloys and processes in terms of weld toughness.

Very little difference is noted between the 9 Ni and 12 Ni but the 5 Ni is significantly toughest. The low toughness of the 12 Ni in the GMA (HD) process is due to a confounding of process and shielding gas. No significant difference in toughness was noted between the GMA and GMA (HD) processes.

The GTA process did produce tougher welds by a small margin but most of the apparent differences are due to the effect of the shielding gases. Oxygen and CO2 are detrimental to the weld toughness.

Table XIX illustrates the weld toughness in a matrix of the more important variables. Replicate results are indicated by toughness numbers connected with a hyphen. The excellent reproducibility is indicative that all significant variables have been considered. The specimen size was too small for the 5 Ni to ensure elastic fracture; therefore, all the numbers followed by a + are conservative. One sample was a single edge notch configuration which is capable of measuring higher toughnesses for a given specimen cross-section than the surface notch configuration. This specimen recorded a  $K_{\rm IC}$  of 203 KSI  $\sqrt{\rm IN}$  with general yielding so the value is conservative.

The one 12 Ni  $K_{\rm IC}$  value of lol KSI  $\sqrt{IN}$  is felt to be unconservative because of a weld defect located laterally from the fatigue crack.

Table XX lists typical welding rates employed in the Multiple Balance Study.

The conditions selected for listing in this table were selected at random;

no particular pattern was followed.

Table XXI lists the factors which were found to be important and the direction in which they affected the four ctiteria: porosity, lack of fusion, crack susceptibility and fracture toughness.

#### 2. Material Selection

The weld data generated from the 623A materials tests and the alternate material tests have been compiled in Table XXII in a manner which reflects the philosophies expressed earlier in the background discussion and, by using consistent design factors, in a manner allowing direct comparisons.

For yield strengths noted shell gages are shown for 260 and 156 inch cases operating at fixed design factors. Critical flaw sizes at proof for each of the cases are also calculated using the same design factors. By comparing

the critical flaw size\* with the design thicknesses, an estimate of failure mode can be made. It is seen that only the 5 Ni alloy approaches a "leak-before-failure" mode in the 260 inch case. Also, the 5 Ni, 9 Ni, and 12 Ni alloys approach this condition in the 156 inch case.

It was noted earlier that insufficient systems data is available to suggest the use of 5 Ni in the smaller cases. Since present Air Force interest lies primarily in the smaller boosters 5 Ni has been dropped from further study in this program.

Though from a case performance standpoint (i.e., strength and toughness) both the 9 Ni and 12 Ni alloys appear worthy of additional investigation program funds require elimination of one of them. The overall difference in behavioral characteristics that were observed in this program were minor. At this time it is not possible to make an irrevocable choice. Final choice of the 9 Ni alloy was based on the observation that the alloy was slightly less susceptible to weld cracking.

<sup>\*</sup> Note that flaw sizes are noted in terms of (a/Q), and by assuming unfavorable flaw shape (Q = 1), surface flaw depth in inches in equal to (a/Q).

#### v. CONCLUSIONS

- 1. From the test results of panels produced by 623A contractors, minimum K<sub>IC</sub> values for 18 Ni (200) GTA, 18 Ni (250) Submerged Arc, and 18 Ni (250) GTA weldments are believed to be 11€. 55, and 60 KSI √In, respectively. When considering primary design stresses only, these values yield allowable flaw sizes, (a/Q)i, in the order of .14, .02, and .05 respectively.
- 2. Analyses of the effects of weldment mismatch in bulkheads indicate that allowable flaw sizes can be reduced by as much as fifty percent as a result of drawing tolerance deviations.
- 3. Residual stresses and subcritical flaw growth do not appear to be significant problems for the expected service requirements of the existing 623A case materials and processes.
- 4. The 5 Ni quench and temper steel shows extremely attractive properties and processing characteristics for 260 inch case application.

  Its usefulness on smaller first stage cases has not been assessed from a vehicle economics standpoint.
- 5. Both the 9 Ni and 12 Ni alloys show promise for use on the 156-inch cases.

#### REFERENCES

- 1. Masters, J. N., "Booster Case Materials Evaluation," Fourth Maraging

  Steel Project Review, ML-TDR-64-225, Vol. 1, July 1964, p. 226.
- 2. ASTM Committee on FTHSMM, "Progress in the Measurement of Fracture Toughness and Using Fracture Mechanics," Materials Research and Standards, Vol. 4, No. 3, March 1964
- 3. Bolstad, D. A., Davis, R. A., Quist, W. E., and Roberts, E. C.,
  "Measuring Stress in Steel Parts by X-ray Diffraction," <u>Metal Progress</u>,
  88, July, 1963.
- 4. "Reliability: Management, Methods, and Mathematics", Book, p. 389,
  D. K. Lloyd and M. Lipow, Prentiss-Hall, 1964






Figure 1: Program Summary Chart





PG 36






Figure 4: SIGNIFICANCE OF PROOF TESTING IN ESTIMATION OF MINIMUM TANK LIFE



PG 38



40 HA

\$ .40 t


WET DRY

• 62 &

• 162 &


TIME ~HOURS






PG 40





NO FAILURE



PG 42


SUSTAINED 18 N. (250)


# FIGURE 10 RESIDUAL STRESSES


260° SUN CASE

| CASE |          |     |     |     |      |
|------|----------|-----|-----|-----|------|
| 1x   | RESS-KSI | 7)  | \$  | 3-  | -30  |
| S A  | STRES    | TOO | -30 | 05- | 09-  |
| アルフ  |          |     | 3   | HAZ | B.M. |
| 260″ |          |     |     |     |      |


| IRESS-KSI | \/  | 05-0 | -40 | 9   |
|-----------|-----|------|-----|-----|
| STR       | 700 | -30  | 10  | 0/- |
|           |     | *    | HAZ | 8   |








PG 45





PG 46

Figure 14: EFFECT OF POST WELD HEAT TREATMENTS ON HARDNESS OF 9Ni -4Co - .25C WELDMENTS




PG 47







\* NUMBER CORRESPONDS TO PARTICULAR VARIBLE SHOWN IN TABLE XX


FIGURE 16: COMPOSITE POROSITY SCATTER DATA






TEST PARAMETERS






PG 53



AVERAGE CRACK LENGTH
BY X-RAY

OF OCCURRENCE %



PG 55

#### TABLE I MATERIALS INVESTIGATED


# Boeing Independent Research and Screening Tests on AF33(615)-1623

|    |  | Tempered<br>or<br>Aged<br>Condition   | Typical<br>Yield<br>Strengtn<br>KSI |
|----|--|---|-------------------------------------|
| 1  | QUENCH & TEMPERED STEELS   | <u> </u>  |                                     |
|    | Republic HP-150 (Vac Melt) [3Ni - 1.4 Cr9 Mo11 Mn26 C]                 | 1015 <sup>0</sup> F   | 157                                 |
|    | USS HY-150 (Air Melt)<br>[5 Ni4 Cr4 Mo25 Mn13C]                        | 1125 <sup>0</sup> F   | 144                                 |
|    | Republic 9 Ni - 4 Co20C (Vac Melt)<br>[8.5 Ni - 4 Co45 Cr4 Mo25 Mn26C] | 400 <sup>0</sup> F<br>800 <sup>0</sup> F<br>1035 <sup>0</sup> F                     | 193<br>189<br>185                   |
|    | Ladish D6A (Air Melt)  | 1015 <sup>0</sup> F<br>1050 <sup>0</sup> F<br>1085 <sup>0</sup> F                   | 203<br>198<br>196                   |
|    | Ladish D6AC (Vac. Melt)  | 1015 <sup>0</sup> F<br>1050 <sup>0</sup> F<br>1085 <sup>0</sup> F                   | 205<br>203<br>199                   |
|    | !  |   |                                     |
| 11 | MARAGING STEELS  |   |                                     |
|    | 12 Ni - 5 Cr - 3 Mo (150) (Air Melt)                                   | 900 <sup>0</sup> F,3 Hrs  | 150                                 |
|    | 12 Ni - 5 Cr - 3 Mo (180) (Vac Melt)                                   | 900 <sup>0</sup> F, 3 Hrs   | 202                                 |
|    | 18 Ni (180) (Air Melt)   | 900 <sup>0</sup> F, 3 Hrs   | 193                                 |
|    | 18 Ni (180) (Vac Melt)   | 900 <sup>0</sup> F, 3 Hrs<br>900 <sup>0</sup> F, 6 Hrs                              | 162 ·<br>169                        |
|    | 18 Ni (200) (Air Melt)   | 900 <sup>0</sup> F, 3 Hrs   | 220                                 |
|    | 18 Ni (200) (Vac Melt)   | 900 <sup>0</sup> F, 3 Hrs   | 211                                 |
|    | 18 Ni (250) (Air Melt)   | 900 <sup>0</sup> F, 3 Hrs   | 248                                 |
|    | 18 Ni (250) (Vac Melt)   | 900 <sup>0</sup> F, 3 Hrs   | 268                                 |
|    | 18 Ni (300) (Vac Melt)   | 825 <sup>0</sup> F, 3 Hrs<br>900 <sup>0</sup> F, 3 Hrs<br>975 <sup>0</sup> F, 3 Hrs | 236<br>261<br>251                   |

#### TABLE II .60" THICK 18 Nú (200) GTA

|          | Γ       | fty -1651 | Kza~ KSIVIN. |
|----------|---------|-----------|--------------|
|          | £       | 224       | 137+         |
| WELD (1) | HAZ     |           | 141+         |
| <b>X</b> | OF PART |           | 129          |
| B.A      | A, (2)  | 227       | 158          |


- (1) AGED @ 9009F, 8 HOURS
- (2) AGED @ 900°F, 4 HOURS



#### TABLE III .40" THICK 18 Ni (200) GTA

|      |                         | f <sub>ty</sub> ~ Ks/  | KIC ~ KSVIN. |
|------|-------------------------|------------------------|--------------|
| Q    | £                       | — 225 <sup>(1)</sup> — | 116          |
| WELD | HAZ                     | 225                    | /33          |
| B.   | B.M. 232 <sup>(2)</sup> |                        | 142          |


- (1) AGED @ 900°F, B HOURS
- (2) AGED @ 9009, 4 HOURS



### TABLE IV .75" THICK 18 Ni (250) SUB-ARC

|      |              | fly ~ KS/ |          | KIE ~KSIVIN.             |                    |  |
|------|--------------|-----------|----------|--------------------------|--------------------|--|
|      |              | 4 HRS     | 61/2 HRS | 4 HRS                    | 61/2 HRS           |  |
| 9    | £            | 184       | 2/3      | 79(1)<br>82(2)<br>(-)(3) | (-) <sup>(3)</sup> |  |
| WELD | <b>EPAIR</b> |           |          | ( <del>-</del> )(3)      | _                  |  |
| В.   | M,           | 250       |          | 96.5                     |                    |  |


- (1) 1<sup>ST</sup> PASS SIDE } SURFACE FLAWED
- (3) ROUND NOTCHED BLR ECCENTRIC



# TABLE **T**.48" THICK 18 Ni (250) 5UB-ARC (1)

|      |     | fiy ~ KSI |          | Kzc ~ | KSI VIN. |
|------|-----|-----------|----------|-------|----------|
|      |     | 4 HRS     | 61/2 HRS | 4 HRS | 61/2 HRS |
| (2)  | £   | 198       | 225      | 63    | 57       |
| WELD | HAZ |           |          |       | 93       |
| В.   | M.  | 260       | _        | 86    |          |


- (1) AGED @ 835 °F, TIMES NOTED
- (2) SURFACE FLAWS, 2<sup>Nd</sup> PASS SIDE



## TABLE VI .39" THICK 18 Ni (250) GTA<sup>(1)</sup> (SHELLS)

|     | ٠.     | fy ~ KSI | KIZ ~ KSIVIN. |
|-----|--------|----------|---------------|
| A   | £      | 231      | 78.5          |
| ¥EL | HAZ    |          | 126 ?         |
|     | REPLIE |          | 65.8-84.3     |
| B.  | M.     |          | 89            |


#### (1) AGED @ 900°F, 3 HOURS



## TABLE VII .39" THICK 18NJ(250) GTA(1) (HEADS)

|      |     | fry ~ KS1 |                 | KJE ~KSIVIN. |          |
|------|-----|-----------|-----------------|--------------|----------|
|      |     | #1        | #2              | #1           | #2       |
| a,   | £   | - 230-    | 120             | 83<br>76     | 63<br>66 |
| WELD | HAZ | - 238 —   | — <b>23</b> 9 — | 105?         | 96?      |
| 8.   | м.  | 237       |                 | 83           | 3        |

#### (1) AGED@ 900°F, 3 HOURS



# TABLE VIII ALLOWABLE FLAW SIZE COMPARISON

|   | (a/a);* 5          |        |                      | 51             | URFAC              | EF                | WAJ                              |                 |
|---|--------------------|--------|----------------------|----------------|--------------------|-------------------|----------------------------------|-----------------|
|   |                    | SH     | ELL                  |                |                    |                   | END                              |                 |
|   | THICKNESS<br>(IN.) | ह्म इं | Kic (MIN)<br>KSI VTN | (a/a);<br>(IN) | THICKNESS<br>(IN.) | PR<br>2t<br>(ksi) | K <sub>Ie</sub> (MIN)<br>KSI VIN | (1/4);<br>(1/2) |
| 260" CASE<br>18N: (200)<br>GTA              | .60                | 165    | 130                  | .147           | .34                | 145               | 110                              | .136            |
| 260"CASE<br>18Ni (250)<br>SUB-ARC           | .72                | 173    | 55                   | <b>.</b> 024   | .47                | 133               | 55                               | .040            |
| 156" CASE<br>18Ni (250)<br>GTA<br>(THIOKOL) | .47                | 162    | 75                   | .051           | .30                | 127               | 75<br><b>6</b> 0                 | .083<br>.053    |

$$*(a/a)_{i} = (a/a)_{Cr} @ PROOF \times .90 = \frac{1}{1.21 \pi} (\frac{K_{IC}}{\sigma_{PROOF}})^{2} \times .90$$

#### TABLE IX ALLOWABLE FLAW SIZE 260" CASE, 18 Ni (200) GTA

|                                     | (%); = ALLOWABLE INITIAL SIZE (1)                  |  |  |  |  |
|-------------------------------------|--|--|--|--|--|
|                                     | SHELL (3)<br>K <sub>Ic</sub> =130 <b>G</b> m=164.7 | HEAD (3)<br>K <sub>sc=110</sub> Om=145.3 |  |  |  |
| MEMBRANE                            | 0.147  | 0.136                                    |  |  |  |
| Y-RING TO<br>HEAD                   |  | 0.116(2)                                 |  |  |  |
| 5% ANGULAR<br>MISMATCH              | 0.115  | 0.105 (2)                                |  |  |  |
| 5% ANGULAR<br>MISMATCH<br>AT Y-RING |  | 0.071(2)                                 |  |  |  |

- (I) FLAWS NORMAL TO HOOP STRESS EXCEPT AS NOTED
- (2) FLAWS NORMAL TO LONGITUDINAL STRESS
- (3) @ 760 psig PROOF

# TABLE X ALLOWABLE FLAW SIZE 260°CASE, 18 Ni(250) SUB-ARC

|                        | (%); = ALLOWABLE                                   | INITIAL SIZE(1)  |
|------------------------|--|--|
|                        | SHELL (3)<br>K <sub>Ic</sub> = 55 <b>G</b> m=172.9 | HEAD (3)<br>K <sub>Je</sub> = 55 O <sub>m</sub> =133.1 |
| MEMBRANE               | 0.024  | 0.040  |
| Y-RING TO<br>HEAD      |  | 0.027(2)   |
| 5% ANGULAR<br>MISMATCH | 0.018  | 0.032(2)   |

- (I) FLAWS NORMAL TO HOOP STRESS EXCEPT AS NOTED
- (2) FLAWS NORMAL TO LONGITUDINAL STRESS
- (3) @ 960 psig PROOF

## TABLE XI ALLOWABLE FLAW SIZE 156'CASE, IBN: (250) GTA

|                        | (%); = ALLOWABLE                                   | INITIAL SIZE(1)      |
|------------------------|--|----------------------|
|                        | SHELL (3)<br>K <sub>Ie</sub> = 75 <b>G</b> m=162.3 |                      |
| MEMBRANE               | 0.051  | 0.053                |
| Y-RING TO<br>HEAD      |  | 0.035 <sup>(2)</sup> |
| 5% ANGULAR<br>MISMATCH | 0.041  | 0.046(2)             |

- (1) FLAWS NORMAL TO HOOP STRESS EXCEPT AS NOTED
- (2) FLAWS NORMAL TO LONGITUDINAL STRESS
- (3) @ 985 psig PROOF

#### SURFACE FLAW SPECIMENS

| SPECIMEN | B= BASE METAL | 1      | NUMBER. | SPI               | ECIMEN     | 1             | SITA7         | UE CRACK                               | EXTENSI                    | ) NC        | CRAC |      |  |
|----------|---------------|--------|---------|-------------------|------------|---------------|---------------|--|----------------------------|-------------|------|------|--|
|          |               |        | WELD    | THICKNESS<br>~1N. | WIDTH -IN. | GROSS<br>AREA | TEST<br>TEMP. | MAXIMUM<br>TENSION FA-<br>TIGUE STRESS | STREES<br>RATIO<br>MIN/MAX | 1.401.100-1 |      | DEP  |  |
| SFL-I    | В             | X14332 | -       | 1.02              | 3.005      | 3.065         | RT            | 28                                     | .06                        | 15,000      | 1.04 | .40  |  |
| SFL-3    | В             | l,     | -       | 1.021             | 5.005      | 5110          | 11            | 27                                     | .06                        | 18,000      | 2.13 | .49! |  |
| SFL-4    | В             |        |         | 1.019             | 5.005      | 5.100         | 1,            | 27                                     | .06                        | 16,000      | 2.11 | .50  |  |
|          |               |        |         |                   |            |               |               |  |                            |             |      |      |  |
| SFW-4    | W             | x14332 | R9376   | .907              | 4.000      | 3.628         | RT            | 27                                     | .06                        | 6,000       | 2.14 | . 39 |  |
| SFW-2    | W             | 11     | 11      | .702              | 3.007      | 2.110         | 11            | 30                                     | .67                        | 6,000       | 1.07 | .32  |  |
| SFW-1    | ,w            | 11     | 11.     | .704              | 3.004      | 2.115         | 11            | 30                                     | .07                        | 5,000       | 1.04 | .z9  |  |

|        |               |                |        |        |        | ٦          | TENSILE       | SPECI        | IMENS    |                   |              |
|--------|---------------|----------------|--------|--------|--------|------------|---------------|--------------|----------|-------------------|--------------|
|        | B=BASE METAL  | ·              | NUMBER | SAGE   | AREA   | TEST       | GRAIN         | TEST<br>TEMP | ULTIMATE | YIELD<br>STRENGTH | 8 F          |
| NUMBER | # = WELD WIRE | PLATE          | WELD   | ~ IN.  | ~ IN.2 | ATMOSPHERE | T= TRANSVERSE | 7            | ~ KSI    | ~ KSI             | 0.5          |
| TFL-I  | В             | X14332         |        | 1.0198 | .5102  | AIR        | L             | RT           | 147.3    | 143.0             | $oxed{oxed}$ |
| TFL-2  | В             | L <sub>F</sub> | '      | 1.0186 | . 5084 | . 11       | L             | i,           | 147.1    | 143.1             | I -          |
| TFL-3  | В             |                |        | 1.0110 | .5038  | ls.        | L             | 11           | 148.0    | 144.5             | 58           |
|        |               |                |        |        |        |            |               |              |          |                   |              |
| TFW-3  | W             | X14332         | R9376  | .9975  | -4994  | AIR        |               | RT           | 149.7    | 138.7             | 62           |
| TFW-Z  | W             | tı             | 11     | 1.0068 | .5051  | 11         |               | 10           | 148.0    | 139.3             | 67           |
| TFW-1  | W             | 16             | 11     | 1.0062 | .5044  | ,,         |               | 11           | 148.2    | 140.3             | 6            |

### SURFACE FLAW SPECIMENS

| SPF      | ECIMEN         | L                     | 21747          | IUE CRACK                              | EXTENSI                    | NC         | (  | LRACK | GEOME    | ETRY |                 | SUST     | MINED LOS                                  | DUIDA | FRACTU |
|----------|----------------|-----------------------|----------------|--|----------------------------|------------|--|-------|----------|------|-----------------|----------|--|-------|--------|
| · !      | WIDTH ~IN.     | GROSS<br>AREA<br>~ IN | TEST<br>TEMP.  | MAXIMUM<br>TENSION FA-<br>TIGUE STRESS | STREES<br>RATIO<br>MIN/MAX | 1.401.100- | •  |       |          |      | FLAW<br>LOCATON | 10.21    | GROSS AREA<br>SUSTAINED<br>STRESS<br>~ KSI |       | TEST ( |
| 2        | 3.005          | 3.065                 | RT             | 28                                     | .06                        | 15,000     | 1.04   | .401  |          |      |                 | <u> </u> |  |       | AIR    |
|          | 5.005          | 5110                  | 11             | 27                                     | -06                        | 18,000     | 2.13   | .495  | <b>–</b> |      |                 |          |  | _     | 11     |
| 19       | 5.005          | 5.100                 | 1 <sub>1</sub> | 27                                     | .06                        | 16,000     | 2.11   | .500  | 2.11     | .500 |                 | NeC)     | 110.2                                      | 1.0   | 11     |
|          |                |                       |                |  |                            |            |  |       |          |      |                 |          |  |       |        |
|          | 4.000          | 3.628                 | RT             | 27                                     | ,06                        | 6,000      | 2.14   | . 397 | -        |      | 4.              |          |  |       | AIR    |
| 07<br>02 | 4.000<br>3.007 | 2.110                 | 101            | 30                                     | .07                        | 6,000      | <del>                                     </del> | .325  | 1.07     | .325 | 4.              | NaCI     | 117.7                                      | Z.0   | "      |
|          |                | 2.115                 | 1,             | 30                                     | . 07                       | 5,000      | 1.04   | .296  | <b>—</b> |      | 4.              | -        |  |       | 11     |

#### TENSILE SPECIMENS

| SE. | A D          | TEST       | GRAIN                          | TEST  | ULTIMATE | NELD              |            | INDICATE |      | REDUCTION |  |
|-----|--------------|------------|--------------------------------|-------|----------|-------------------|------------|----------|------|-----------|--|
| ۱۳. | AREA<br>~IN? | ATMOSPHERE | L-LONGITUDINAL<br>T=TRANSVERSE | TEMP. | ~ KSI    | STRENGTH<br>~ KSI | 0.50       | r00      | 2.00 | IN AREA   |  |
| 198 | .5102        | AIR        | L                              | RT    | 147.3    | 143.0             | _          | 44       | 26   | 65        |  |
| 186 | .5084        | 11         | L                              | 11    | 147.1    | 143.1             | _          | 44       | 27   | 64        |  |
| 110 | .5038        | H          | L                              | ¥ι    | 148.0    | 144.5             | <i>5</i> 8 | 45       | 25   | 59        |  |
|     |              |            |                                |       |          |                   |            |          |      |           |  |
|     |              |            |                                |       |          |                   |            |          |      |           |  |
|     |              |            |                                |       |          |                   |            |          |      |           |  |
|     |              |            |                                |       |          |                   |            |          |      |           |  |
| 975 | .4994        | AIR        | _                              | RT    | 149.7    | 138.7             | 6Z         | 42       | 29   | 61        |  |
| 068 | .5051        | 11         | _                              | и     | 148.0    | 139.3             | 62         | 42       | 25   | 63        |  |
| 062 | .5044        | 11         | ~                              | i e   | 148.2    | 140.3             | 48         | 42       | 25   | 62        |  |

<

ME

NS

| c   | .RACK | GEOM                                      | ETRY      |                  | TRUE               | NOT CANIA                                  | NDING                              | FRACTI     | JRE TES                         | T TO FA                             | NLURE   | TATE NI | ric Ti | ENSIOI         | y       |
|-----|-------|---|-----------|------------------|--------------------|--|------------------------------------|------------|---------------------------------|-------------------------------------|---|---------|--------|----------------|---------|
| IN. |       | LENGTH<br>(AFTER<br>SUSTAINED<br>LOADING) | SUSTAINED | FLAW<br>LOCATION | TEST<br>Atmosphere | GROSS AREA<br>SUSTAINED<br>STRESS<br>~ KSI | TIME OF<br>SUSTAINED<br>STRESS WHR | ATMOSPHERE | GROSS<br>AREA<br>STRESS~<br>KSI | NET<br>ARUA<br>STRESS~<br>KSI<br>ON | YIELD<br>STRENGTH<br>(BASED ON<br>TENSILE<br>DATE<br>OTYS | 6n/07,  | a/a    | KIC~<br>Ksivin | KSI VIN |
| ٧4  | .401  | _   | _         | _                | -                  | _  |                                    | AIR        | 134.3                           | 150.5                               | 143.0   | 1.05    | .226   | _              | 124.2   |
| 3   | .495  | _   |           | _                |                    |  |                                    | (1         | 130.3                           | 155,6                               | 143.0   | 1.09    | .399   |                | 159.8   |
| H   | ,500  | 2.11                                      | .500      | _                | Ne(C)              | 110.2                                      | 1.0                                | - 11       | 129.0                           | 154.0                               | 143.0   | 1.08    | .398   |                | 158.0   |
|     |       |   | 1         |                  |                    |  |                                    |            |                                 |                                     |   |         |        |                |         |
| 4   | . 397 |   |           | 4.               | _                  |  |                                    | AIR        | 126.0                           | 154.3                               | 139.8   | 1.10    | .35%   | _              | 146.0   |
| 7   | -325  | 1.07                                      | .325      | <b>4</b> .       | NaCI               | 1.7.7                                      | 2.0                                | *1         | 132.7                           | 152.4                               | 139.8   | 1.08    | .224   | _              | 121.9   |
| 4   | .296  |   |           | 4.               |                    |  |                                    | 14         | 135.6                           | 153.1                               | 139.8   | 1.10    | .215   |                | 121.8   |

| أم  | 8 PER | OTA DNO<br>STADIONI | D L<br>D L | REDUCTION |
|-----|-------|---------------------|------------|-----------|
| JTH | 0.50  | 1.00                | 2.00       | IN AREA   |
| 0   |       | 44                  | 26         | 65        |
|     | _     | 44                  | 27         | 64        |
| 5   | 58    | 45                  | 25         | 59        |
|     |       |                     |            |           |
|     |       |                     |            |           |
|     |       |                     |            |           |
|     |       |                     |            |           |
| 7   | 62    | 42                  | 29         | 61        |
| 5   | 62    | 42                  | 2.5        | 63        |
| 3   | 48    | 42                  | 25         | 62        |

TABLE XII
SCREENING TEST DATA

ALLOY: \_\_\_ HY-150

MELT PRACTICE: AIR MELT

67

#### SURFACE FLAW SPECIMENS

| SPECIMEN | B= BASE METAL | HEAT N  | LUMBER          | SPF                | ECIMEN     | 1             | DITAR         | UE CRACK                               | EXTENSIO                   | ИС                          | CRACK  |      |  |
|----------|---------------|---------|-----------------|--------------------|------------|---------------|---------------|--|----------------------------|-----------------------------|--------|------|--|
|          | W= WELD WIRE  |         | WELD            | THICKNESS<br>~ IN. | WIDTH ~IN. | GROSS<br>AREA | TEST<br>TEMP. | MAXIMUM<br>TENSIÓN FA-<br>TIGUE STRESS | STRESS<br>RATIO<br>MIN/MAX | TOTAL<br>NUMBER<br>OF CKLES | FENCTH | DEPT |  |
| * H-400  | В             | 3950924 | <del></del>     | .754               | 3.00       | 2.262         | RT            | 60.0                                   | .06                        | 3,600                       | ,8755  | .270 |  |
| * H-800  | В             | 11      |                 | .760               | 3.00       | 2.280         | 11            | 50.0                                   | .06                        | 6,200                       | .895   | .30  |  |
| *H-1035  | В             | 11      | _               | 1.038              | 3.02       | 3.132         | 4,            | 45.0                                   | .06                        | 5,000                       | 1.095  | .33  |  |
|          |               |         |                 |                    |            |               |               |  |                            |                             |        |      |  |
| * scw-3  | . w           | 5930786 | <b>79886</b> 50 | .706               | 2.515      | 1.776         | RT            | 27.0                                   | .09                        | 18,000                      | .790   | .20  |  |
| * scw-2  | W             | 1(      | 4)              | .711               | 2.999      | 2.132         | *1            | 27.0                                   | .08                        | 17,000                      | .820   | .22  |  |
| SCW-I    | W             | н       | 11              | .7//               | 3.001      | 2./34         | 4             | 27.0                                   | .08                        | 13,000                      | .785   | .20  |  |

\* SPECIMENS NOTED MEET REF (1) TENTATIVE REQUIREMENTS

THICKNESS OF RECTANGULAR SPECIMEN

2 ALL WELDMENTS LEFT "AS DEPOSITED" ON PLATE ORIGINALLY TEMPERED AT 1035°F

#### TENSILE SPECIMENS

| SPECIMEN                                | B=BASE METAL  | HEAT N  | NUMBER  |              | AREA   | JEST.      | GRAIN                          | TEST    | ULTIMATE          | VIELD          | 8 PET       |
|---|---------------|---------|---------|--------------|--------|------------|--------------------------------|---------|-------------------|----------------|-------------|
| NUMBER                                  | W = WELD WIRE |         | WELD    | DIA<br>~ IN. | ~ IN.2 | ATMOSPHERE | L-LONGITUDINAL<br>T=TRANSVERSE | A LEWIN | STRENGTH<br>~ KSI | STRENGTH ~ KSI | 0.50        |
| TCL-1                                   | В             | 3930786 |         | .2486        | .0485  | AIR        | L                              | RT      | 196.7             | 187.4          |             |
| TCL-Z                                   | В             | 11      |         | .2489        | ,048.7 | 11         | L                              | N.      | 193.7             | 185.3          |             |
| TCL-3                                   | В             | 11      |         | .2494        | .0489  | 11         | L                              | 11      | 195.5             | 184.6          | 26          |
| H-9                                     | В             | 11      |         | .61          | .3076  | "          | L                              | ١,      | 194.4             | 186.9          | 56          |
| H-10                                    | В             | N.      |         | .6149        | .3111  | 1,         | L                              | 11      | 192.9             | 185.8          | 60          |
| ======================================= |               | 707070/ | 7224 50 |              |        | 1          |                                | DT.     | 191.0             | V. 9. //       | <del></del> |
| TCW-3                                   | <del></del>   | +       | 3988650 | 1.2502       | .0492  | AIR        | <del></del>                    | RT      | +                 | 168.4          | 6           |
| TCW-Z                                   | V             | ••      | i,      | .2498        | .0490  |            |                                | 11      | 194.2             | 173.4          |             |
| TCW-1                                   | W             | 11      | 11      | .2496        | .0489  | 11         |                                | 11      | 194.3             | 174.1          |             |

#### SURFACE FLAW SPECIMENS

| SPE | ECIMEN        | 1                     | DITA3               | UE CRACK                               | EXTENSI                    | אנ                          | C      | :RACK | GEOME                                     | ETRY   |          | SUST     | FINED FOR                                  | DUIDA                              | FRACTU       |
|-----|---------------|-----------------------|---------------------|--|----------------------------|-----------------------------|--------|-------|---|--|----------|----------|--|------------------------------------|--------------|
| N.  | WIDTH<br>∼IN. | GROSS<br>AREA<br>~ IN | TEST<br>TEMP.<br>°F | MAXIMUM<br>TENSION FA-<br>TIGUE STRESS | STRESS<br>RATIO<br>MIN/MAX | TOTAL<br>NUMBER<br>OF CKLES | LENGTH | 1     | LENGTH<br>(AFTER<br>SUSTAINED<br>LOADING) | CONTRIVED  | NOTADOL  | 16.21    | GROSS AREA<br>SUSTAINED<br>STRESS<br>~ KSI | TIME OF<br>SUSTAINED<br>STRESS ~HR | ATMOSPHERE : |
| 54  | 3.00          | 2.262                 | RT                  | 60.0                                   | .06                        | 3,600                       | .8755  | .2701 | -   |  |          | _        | -  |                                    | AIR          |
| 0   | 3.00          | 2.280                 | 11                  | 50.0                                   | .06                        | 6,200                       | .895   | .301  | _   |  |          |          | _  | _                                  | "            |
| 38  | 3.07          | 3.132                 | 11                  | 45.0                                   | .06                        | 5,000                       | 1.095  | .335  | _   |  |          |          |  |                                    | 11           |
|     |               |                       |                     |  |                            | ļ                           |        |       | <u></u>                                   |  |          |          |  |                                    |              |
|     |               | <del> </del>          | <u> </u>            |  |                            | <del> </del>                |        |       |   | <del>                                     </del> |          |          |  |                                    |              |
| 6   | 2.515         | 1.776                 | RT                  | 27.0                                   | .09                        | 18,000                      | .790   | .208  |   |  | <b>€</b> | <u> </u> | _  | _                                  | AIR          |
| /   | z.999         | 2.132                 | 1,                  | 27.0                                   | .08                        | 17,000                      | .820   | .220  | .830                                      | .254   | Œ.       | NaCl     | 160.3                                      | 1.0                                | 11           |
| /   | 3.001         | 2./34                 | 4                   | 27.0                                   | .08                        | 13,000                      | .785   | .200  |   |  | 4.       |          |  |                                    | 11           |

ITATIVE REQUIREMENTS

CIMEN

sited" on plate 5°F

#### TENSILE SPECIMENS

|           |        | 7            | LENZILE .                      | SPECI   | WENS              |                   |      |          |      |           |                            |
|-----------|--------|--------------|--------------------------------|---------|-------------------|-------------------|------|----------|------|-----------|----------------------------|
|           | AREA   | TEST         | GRAIN                          | 1       | ULTIMATE          | YIELD             |      | OTA DIO  |      | REDUCTION | TEMPERING                  |
| 1 2       | ~ 1N.2 | TATMOSPHEICE | L-LONGITUDINAL<br>T=TRANSVERSE | M JEILL | STRENGTH<br>~ KSI | STRENGTH<br>~ KSI | 0.50 | r.00     | 2.00 | IN AREA   | TEMPERATURE 2              |
| в6        | .0485  | AIR          | h                              | RT      | 196.7             | 187.4             |      | 18       |      | 62        | 1035                       |
| <i>89</i> | .0487  | l i          | h                              | - 11    | 193.7             | 185.3             | _    | 18       |      | 63        | 1035                       |
| 94        | .0489  |              | L .                            | 11      | 195.5             | 184.6             | 26   | 15       | _    | 64        | 1035                       |
| Z A       | .3076  | и -          | لد                             | 11      | 194.4             | 186.9             | 56   | 37       | 21   | 62        | 1035                       |
|           | .3111  | 11           | L                              | 11      | 192.9             | 185.8             | 60   | 37       | 22   | 63.9      | 1035                       |
|           |        | ·            |                                |         |                   |                   |      | <b> </b> |      |           |                            |
| SO        | .0492  | AIR          |                                | RT      | 191.0             | 168.4             | 6    | 4        | _    | 4         | (POROSITY OBSERVED ON FRAC |
| 98        | .0490  | 11           | _                              | u       | 194.2             | 173.4             | _    | 16       |      | 62        |                            |
| 96        | .0489  | . 14         |                                | 11      | 194.3             | 174.1             | _    | 16       |      | 61        |                            |

MEL

| c  | .RACK | GEOM                                      | ETRY      |                  | SUST  | FINED FO                                   | ADING | FRACTI     | URE TES                         | T TO FA                             | LILURE   | יאדצ או | ric Te | ENSIO | N                              | -       |
|----|-------|---|-----------|------------------|-------|--|-------|------------|---------------------------------|-------------------------------------|--|---------|--------|-------|--------------------------------|---------|
| TH |       | LENGTH<br>(AFTER<br>SUSTAINED<br>LOADING) | CONTRINED | Flaw<br>Location | TEST" | GROSS AREA<br>SUSTAINED<br>STRESS<br>~ KSI |       | ATMOSPHERE | GROSS<br>AREA<br>STRESS~<br>KSI | NET<br>AREA<br>STRESS~<br>KSI<br>ON | YIELD<br>STRENGTH<br>(BASED ON<br>TEMSILE<br>DATE) | פוי/סאי | 4/a    |       | Kai VIII<br>KIC ~<br>INDICHIED | TEMPERA |
| 5  | .2701 |   | )         | _                | _     | -  | _     | AIR        | 130.5                           | 142.3                               | 192.7  | .739    | 1723   | 110.8 | -                              | 400     |
|    | .301  | _   | _         |                  |       | _  |       | li .       | 164.2                           | 182.3                               | 189.1  | .964    | .1885  | 138.3 | _                              | 800     |
| 5  | .335  | _   |           |                  |       |  |       | . 11       | 179.3                           | 197.5                               | 185.1  | 1.067   | .2310  | -     | 167.2                          | 1035    |
|    |       |   |           |                  |       |  |       |            |                                 |                                     |  |         |        |       |                                |         |
|    | .208  |   |           | €.               |       |  | _     | AIR        | 168.8                           | 182.0                               | 173.7  | 1.05    | .159   | _     | 130.2                          | -       |
| )  | .220  | .830                                      | .254      | Æ                | NaCl  | 160.3                                      | 1.0   | 41         | 167.4                           | 181.2                               | 173.7  | 1.04    | .174   | -     | 135.3                          |         |
| ;  | .200  |   | _         | 4_               | _     |  | -     | 1,         | 176.8                           | 187.5                               | 173.7  | 1.08    | .157   | _     | 136.2                          |         |

| )<br> |      | OTTA BUC<br>TETADIONI |      | REDUCTION | TEMPERING                               |
|-------|------|-----------------------|------|-----------|---|
| ₽,    | 0.50 | 1.00                  | 2.00 | IN AREA   | TEMPERATURE 2                           |
|       | 1    | 18                    | _    | 62        | 1035                                    |
|       | 1    | 18                    | _    | 63        | 1035                                    |
|       | 26   | 15                    | _    | 64        | 1035                                    |
|       | 56   | 37                    | 21   | 62        | 1035                                    |
|       | 60   | 37                    | 22   | 63.9      | 1035                                    |
|       |      |                       |      |           |   |
|       |      |                       |      | <u> </u>  |   |
|       | 6    | 4                     | _    | 4         | (POROSITY OBSERVED ON FRACTURE SURFACE) |
|       | _    | 16                    | _    | 62        |   |
|       |      | 16                    | _    | 61        |   |

TABLE XIII
SCREENING TEST DATA

ALLOY: 9Ni-4Co-.20C

MELT PRACTICE: VACUUM MELT

#### SURFACE FLAW SPECIMENS

| SPECIMEN   | B= BASE METAL | HEAT N | UMBER   | SPE              | ECIMEN | L             | FATIG         | UE CRACK                               | EXTENSIO                   | N                            |      | CRAI  |
|------------|---------------|--------|---------|------------------|--------|---------------|---------------|--|----------------------------|------------------------------|------|-------|
| NUMBER     | W= WELD WIRE  | PLATE  | WELD    | THICKNESS<br>IN. | WIDTH  | GROSS<br>AREA | TEST<br>TEMP. | MAXIMUM<br>TENSION FA-<br>TIGUE STRESS | STRESS<br>RATIO<br>MIN/MAX | TOTAL<br>NUMBER<br>OF CYCLES |      | DEF   |
| FSEL -I    | В             | X15339 | _       | 1.054            | 3.001  | 3.163         | RT            | 27.0                                   | .06                        | 9,000                        | 1.07 | .36   |
| # SEL-Z    | В             | 11.    | _       | 1.054            | 3.008  | 3.170         | 11            | 27.0                                   | .06                        | 10,000                       | 1.05 | . 36  |
| # SEL-15   | В             | ×15216 | _       | 1.460            | 3.990  | 5.830         | 11            | 28.0                                   | .06                        | 11,000                       | 1.51 | .52   |
| * SEWI-6   | W             | X15339 | T 39635 | .961             | 3.012  | 2.895         | RT            | 29.4                                   | .06                        | 6,000                        | 1.05 | .3:   |
| * SEWI - 5 | W             | 14     | 11      | .984             | 3.011  | 2.963         | 11            | 29.4                                   | .06                        | 5,000                        | 1.04 | .38   |
| * SEWI-4   | W             | 14     | 11      | .969             | 3.004  | 2.911         | 11            | 29.4                                   | .06                        | 5,000                        | 1.04 | .31   |
| SEW-3      | W             | 4,     | R9517   | .713             | 3.011  | 2.147         | 11            | 27.0                                   | .08                        | 6,000                        | 1.07 | . 3 ? |
| SEW - Z    | W             | 4,     | 71      | .704             | 3.002  | 2.113         | 11            | 27.0                                   | .08                        | 6,000                        | 1.07 | .3    |
| SEW-I      | W             | 41     | 11      | .708             | 2.993  | 2.119         | 14            | 27.0                                   | .08                        | 6,000                        | 1.08 | .5    |

\* SPECIMENS NOTED MEET REF(I) TENTATIVE REQUIREMENTS

#### TENSILE SPECIMENS

| SPECIMEN | B=BASE METAL | HEAT N   | NUMBER   |             |               | JEST       | GRAIN                          | TEST  | ULTIMATE          | YIELD             | 8  |
|----------|--------------|--|--|-------------|---------------|------------|--------------------------------|-------|-------------------|-------------------|----|
| NUMBER   | W-WELD WIRE  | PLATE  | WELD   | DIA<br>VIN. | AREA<br>~ IN? | ATMOSPHERE | L-LONGITUDINAL<br>T=TRANSVERSE | TEMP. | STRENGTH<br>~ KSI | STRENGTH<br>~ KSI | 0. |
| TEL-I    | В            | X15339   | _  | .2494       | .0488         | AIR        | L                              | RT    | 207.2             | 202.4             |    |
| TEL-2    | 8            | 31   | -  | .2493       | .0488         | 16.        | L                              | ) e   | 207.7             | 202.8             |    |
| TEL-3    | В            | u  | -  | .2490       | .0487         | \(         | L                              | 11    | 208.2             | 203.0             | Ī  |
|          |              |  |  |             |               |            |                                |       |                   |                   |    |
|          |              | <del>                                     </del> | <del>                                     </del> |             | <del> </del>  |            |                                |       |                   |                   |    |
| TEWI-S   | W            | x15339   | T39435   | .2482       | .0484         | AIR        | _                              | RT    | 194.2             | 191.4             |    |
| TEWI-4   | W            | 11   | l.   | .2493       | .0488         | 14         | _                              | ħ     | 194.2             | 189.9             |    |
| TEW-Z    | W            | 11   | R9517  | .2495       | .0489         | н          |                                | 14    | 199.6             | 195.1             | Π  |
| TEW-1    | W            | ų  | 11   | .2495       | .0489         | н          |                                | 11    | 201.4             | 196.9             |    |

#### SURFACE FLAW SPECIMENS

| SPE             | ECIMEN        | Į.            | FATIG         | UE CRACK                               | EXTENSIO                   | o N                         | C      | CRACK        | GEOM      | ETRY                                     |                 | <b>ア</b> をいる       | FINED FO                                   | DING                               | FRAC           |
|-----------------|---------------|---------------|---------------|--|----------------------------|-----------------------------|--------|--------------|-----------|--|-----------------|--------------------|--|------------------------------------|----------------|
| HICKNESS<br>In. | WIDTH<br>IN.  | GROSS<br>AREA | TEST<br>TEMP. | MAXIMUM<br>TENSION FA-<br>TIGUE STRESS | STRESS<br>RATIO<br>MIN/MAX | TOTAL<br>NUMBER<br>OF CKLES | LENGTH | DEPTH<br>IN. | SUSTAINED | DEPTH<br>(AFTER<br>SUSTAINED<br>LOADING) | WAJ7<br>NOTAXOL | TEZT<br>ATMOSPHERI | GROSS AREA<br>SUSTAINED<br>STRESS<br>~ KSI | TIME OF<br>SUSTAINED<br>STRESS MAN | TEST ATMOSPHEN |
| 1.054           | 3,001         | 3.163         | RT            | 27.0                                   | .06                        | 9,000                       | 1.07   | .365         |           | _  |                 | NACI               | 152.2                                      | 1.0                                | AIR            |
| 1.054           | 3.008         | 3.170         | 16            | 27.0                                   | .06                        | 10,000                      | 1.05   | .385         | <b>-</b>  | <b>-</b>                                 |                 |                    | _  |                                    | 11             |
| 1.460           | <i>3.9</i> 90 | 5.830         | 11            | 28.0                                   | .06                        | 11,000                      | 1.51   | .525         |           | _  |                 |                    |  |                                    | • •            |
| 961             | 3.012         | 2.895         | RT            | 29.4                                   | .06                        | 6,000                       | 1.05   | .350         |           |  | HAE             |                    |  |                                    | AIR            |
| 984             | 3.011         | 2.963         | 11            | 29.4                                   | .06                        | 5,000                       | 1.04   | .325         | 1.04      | .355                                     | 4.              | NaCI               | 143.7                                      | .5                                 | 11             |
| 969             | 3.004         | 2.911         | 11            | 29.4                                   | .06                        | 5,000                       | 1.04   | .333         | _         |  | 4.              | _                  | _  | _                                  | 11             |
| 713             | 3.011         | 2.147         | 11            | 27.0                                   | .08                        | 6,000                       | 1.07   | .330         |           | T-                                       | 4.              |                    |  | _                                  | 31             |
| 704             | 3.002         | 2.113         | 11            | 27.0                                   | .08                        | 6,000                       | 1.07   | .340         | 1.08      | .364                                     | 4.              | NaCI               | 57.8                                       | 1.0                                | 11             |
| 708             | 2.993         | 2.119         | 11            | 27.0                                   | .08                        | 6,000                       | 1.08   | .530         |           | _  | <b>€</b>        | _                  |  |                                    | 11.            |

ITATIVE REQUIREMENTS

#### TENSILE SPECIMENS

| 21C   | AREA    | TEST       | GRAIN                          | TEST | LILTIMATE         | NELD              |          | OTA DNC<br>STADIONI |          | REDUCTION |      |
|---|---------|------------|--------------------------------|------|-------------------|-------------------|----------|---------------------|----------|-----------|------|
| <u>بر کر در در</u> | ~ IN'3  | ATMOSPHERE | L-LONGITUDINAL<br>T=TRANSVERSE | TEMP | STRENGTH<br>~ KSI | STRENGTH<br>~ KSI | 0.50     | r00                 | 2.00     | IN AREA   |      |
| 494   | .0488   | AIR        | L                              | RT   | 207.2             | 202.4             | _        | 13                  | _        | 49        |      |
| :493  | .0488   |            | L                              | 16   | 207.7             | 202.8             | _        | 13                  |          | 48        |      |
| 1490  | .0487   | 11         | L                              | 11   | 208.2             | 203.0             | IB       | 10                  |          | 51        |      |
|   |         |            |                                |      |                   |                   |          |                     |          |           |      |
|   | <u></u> | <b></b>    | <u> </u>                       |      |                   |                   |          |                     | Ĺ        |           |      |
|   |         | <b></b>    | <u> </u>                       |      |                   |                   | <u> </u> |                     | <u> </u> |           | <br> |
| 482   | .0484   | AIR        |                                | RT   | 194.2             | 191.4             |          | 9                   |          | 42        | <br> |
| 493   | .0488   | 16         |                                | ы    | 194.2             | 189.9             |          | 8                   | _        | 44        |      |
| 495   | .0489   | ы          |                                | 11   | 199.6             | 195.1             | _        | 9                   | _        | 26        |      |
| 495   | .0489   | и          |                                | 11   | 201.4             | 196.9             |          | 6                   |          | 18        |      |

2

ME

ZH.

| c             | CRACK        | GEOM                                      | ETRY                                     |                  | SUST               | MINED LO                                   | ADING                               | FRACTI     | URE TES                         | T TO FI                 | LILURE  | יברצ או | ric Te | ENSIOI         | M                            |
|---------------|--------------|---|--|------------------|--------------------|--|-------------------------------------|------------|---------------------------------|-------------------------|---|---------|--------|----------------|------------------------------|
| :NGTH<br>! N. | DEPTH<br>IN. | LENGTH<br>(AFTER<br>SUSTAINED<br>LOADING) | DEPTY<br>(AFTER<br>SUSTAINED<br>LOADING) | FLAW<br>LOCATION | TEST<br>ATMOSPHERE | GROSS AREA<br>SUSTAINED<br>STRESS<br>~ KSI | TIME OF<br>SUSTAINED<br>STRESS MIRS | ATMOSPHERE | GROSS<br>AREA<br>STRESSA<br>KSI | NET<br>AREA<br>STREES ~ | YIELD<br>STRENGTH<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE<br>TENSILE | 6n/57,  | a/a    | KIC~<br>KsiVin | KOLAIN<br>KIC ~<br>INDICALED |
| .07           | .365         |   | _  | _                | NACI               | 152.2                                      | 1.0                                 | AIR        | 180.6                           | 200.0                   | 202.6   | . 99    | .227   | 167.0          | <b>-</b>                     |
| .05           | .385         |   |  | <b>—</b>         |                    | -  |                                     | **         | 179.0                           | 199.0                   | 202.6   | .98     | .224   | 164.2          |                              |
| 51            | .525         |   | -  | _                |                    | _  |                                     | .,         | 166.5                           | 186.0                   | 192.7   | .96     | .318   | 182.4          | _                            |
| 05            | .350         | _   | _  | 3AH              |                    |  |                                     | AIR        | 179.5                           | 199.5                   | 190.6   | 1.05    | .224   |                | 165.2                        |
| 04            | .325         | 1.04                                      | .355                                     | 4.               | NaCI               | 143.7                                      | .5                                  | 11         | 187.0                           | 207.3                   | 190.6   | 1.09    | .225   |                | 172.0                        |
| 04            | .333         | _   |  | 4.               |                    |  | _                                   | 11         | 188.1                           | 207.5                   | 190.6   | 1.09    | .223   |                | 172.7                        |
| 07            | .330         |   |  | 4.               |                    |  | _                                   | 11         | 71.0                            | 81.5                    | 196.0   | .42     | .203   | 62.1           |                              |
| 07            | .340         | 1.08                                      | .364                                     | 4                | NaCI               | 57.8                                       | 1.0                                 | 11         | 82.2                            | 97.0                    | 196.0   | .49     | .212   | 735            |                              |
| 80            | .330         |   | _  | €.               | _                  | _  |                                     | 11         | 86.4                            | 99.6                    | 196.0   | .51     | .209   | 76.7           |                              |

| D        | ELC<br>8 PETR | OTA DNO<br>IJTADIONI | )    | REDUCTION |
|----------|---------------|----------------------|------|-----------|
| ۲<br>وبل | 0.50          |                      | 2.00 | IN AREA   |
| 4        | _             | 13                   |      | 49        |
| 8        |               | 13                   |      | 48        |
| 0        | 18            | 10                   |      | 51        |
|          |               |                      |      |           |
|          |               |                      |      |           |
|          |               |                      |      |           |
|          |               | 9                    |      | 42        |
| )        | _             | 8                    |      | 44        |
|          | _             | 9                    |      | 26        |
|          |               | G                    |      | 18        |

## TABLE XIX SCREENING TEST DATA

ALLOY: 12N1-5Cr-3M0 (180)

MELT PRACTICE: AIR MELT

 $\boldsymbol{\mathcal{S}}$ 

TABLE XV

### LIST OF PROCESS VARIABLES CONTROLLED IN MULTIPLE BALANCE EXPERIMENT

| 1.  | Base Alloy                         | 12. | Weld Process        |
|-----|------------------------------------|-----|---------------------|
| 2.  | Filler Alloy                       | 13. | Joint Configuration |
| 3.  | Filler Alloy Size                  | 14. | Energy              |
| 4.  | Pre-Weld Heat Treatment            | 15. | Speed               |
| 5•  | Post-Weld Heat Treatment           | 16. | Shielding Gas       |
| 6.  | Pre-Heat and Interpass Temperature | 17. | Gas Flow Rate       |
| 7.  | Post Heat Hold                     | 18. | Cap-Work Distance   |
| 8.  | Weldor                             | 19. | Tip-Work Distance   |
| 9•  | Engineer                           | 20. | Filler Feed Rate    |
| 10. | Shift                              | 21. | Cleanliness         |
| 11. | Priority                           | 22. | Trailer Shield      |

TABLE XVI COMPOSITIONS OF ALTERNATE MATERIALS

(BASE METAL & FILLER WIRE)

|      |            | Heat<br>No. | D C  | Mr   | ц    | S    | S1   | Nî    | Cr   | Mo   | ΑJ   | Ti   | 8    | Λ   |
|------|------------|-------------|------|------|------|------|------|-------|------|------|------|------|------|-----|
|      | Base Metal | x53957      | .11  | -72  | 900• | 900° | •26  | 4.98  | .52  | .54  | .023 |      |      | .07 |
|      | Wire A     | T5596B      | 540. | 2.23 | 900* | 900  | .38  | 2.02  | .79  | .55  | ı    | .015 | ı    | ı,  |
| 5N4  | Wire B     | T5788C      | .085 | .72  | .003 | .005 | .33  | 5.31  | .70  | .55  | .007 | .020 | t    | .07 |
|      | Wire C     | T5256A      | .071 | 1.98 | τοο• | .005 | .34  | 1.86  | •86  | •55  | 1    | 970. | ı    | •   |
|      | Base Metal | 3930960     | .26  | •33  | 900* | 010. | .01  | 8.38  | •39  | 64.  | ١    | 1    | 3.90 | 8   |
|      | Wire D     | 3888727     | .22  | •30  | 900• | 900• | .26  | 7.50  | 8;   | 1.02 | ı    | t    | 3.65 | .07 |
| 9N4  | Wire E     | 3888722     | .25  | .80  | £00° | .005 | 04.  | 7.20  | .87  | 1.03 | ı    | ı    | 3.60 | .10 |
|      | Wire F     | 3888726     | .25  | 84.  | 900. | 900• | .25  | 7.20  | •45  | -42  | ı    | ı    | 5.20 | .07 |
|      | Base Metal | X10058      | -02  | 90•  | 900* | 010• | 70.  | 12.02 | 5.10 | 3.00 | ,24  | .32  | ı    | ı   |
|      | Wire G     | T5755BT     | 900* | .028 | 1001 | .007 | .018 | 11.9  | 5.03 | 2.00 | .015 | 44.  | 1    | ,   |
| 12N1 | Wire H     | T5759AT     | 600. | 910. | .002 | 900• | .019 | 11.8  | 3.60 | 2.76 | .002 | -45  | 1    |     |
|      | Wire I     | T5264c      | 900• | .010 | 100. | .005 | 920. | 11.9  | 5.05 | 3.04 | .18  | .65  | ı    | •   |
|      |            |             |      |      |      |      |      |       |      |      |      |      |      |     |

#### TABLE XVII

#### PROCESSING HISTORY OF ALTERNATE MATERIALS

5Ni-Cr-Mo-V

Supplier: United States Steel Corporation

Melting Practice: Air Melt - Electric furnace - Lime Alumina Slag

Heat No.: X-53957 Size: 80 ton

Ingot Size: 32" x 60" Hot Rolled 2000° finish at 1900°F

Rolling Ratio 1.8/1.0 (L.T.)

Austenitized 1500° 1½ hrs. Water Quenched Tempered 1½ hrs. at 875-1075° Air Cooled

9Ni-4Co-.25C

Supplier: Republic Steel Corporation

Melting Practice: Vacuum Arc Remelt-Carbon De-Ox.

Air Melt Heat No.: 3311846 Size: 90 ton VAR. Heat No.: 3930960 Size: 5 ton

Ingot Size: 24" Dia. Press Forged from 24" RD to 18" x 4"

Hot Rolled 1750° finish at 1500°F Annealed 1125° 3 hrs. Air Cooled Austenitized 1550° 1 hr. Oil Quenched

Tempered 2 hrs. + 2 hrs. at 900-1050° Air Cooled

12Ni-5Cr-3Mo

Supplier: United States Steel Corporation

Melting Practice: Air Melt Electric Furnace - Lime Alumina Slag

Heat No.: X-10058 Size: 20 ton

Ingot size 29" x 54" Hot Rolled 2000° finish 1800°F

Rolling Ratio 2.4/1.0 (L.T.)

Annealed 1500° 1 hr. Water Quenched

Aged 4-12 hrs. at 900°

|   | Filler Speed  | Weld Speed             |             |                                | •              |                 |            |       |       |              |
|---|---------------|------------------------|-------------|--------------------------------|----------------|-----------------|------------|-------|-------|--------------|
|   | ller          | ld S                   | 7           | ιο                             | 20             | )               | 3          | 50    | Weld  | Heat         |
|   | ם             | 3                      | N           | W                              | N              | W               | N          | W     | Weld  | Joint        |
| I |               | S                      | 93          | 77                             | 74             | 84*             | -89        | 81    |       |              |
| ľ | S             | F                      | 73          | 76                             | 72             | 85              | <b>7</b> 9 | 75    |       |              |
|   | F             | S                      | 91          | 87                             | 83             | 92              | 80         | 90    |       |              |
| Į |               | F                      | 78 <b>*</b> | 71                             | 94*            | 86              | 82         | 88    |       |              |
|   | Trail Shield  | Cleanliness            |             |                                |                |                 | <b>)</b> . |       |       |              |
|   | rail          | Lear                   |             |                                | Не             |                 | Gas        |       |       |              |
| r | <u>E</u>      | 7                      | 40          | 80                             | 40             | 80              | Gas 1      | Flow  |       |              |
| I | No            | A                      | 71-94       | 84"                            | 79 <b>-</b> 92 | 72              |            |       |       |              |
| ŀ |               | B<br>A                 | 87<br>80    | <b>75-93</b><br>85 <b>-</b> 91 | 83<br>77       | 81-90<br>73-86  |            |       | •     |              |
| l | Yes           | В                      | 88-89       | 74                             | 78-82          | 76              |            |       |       |              |
|   | Filler Alloy  | Wire Size              |             | 1 150                          | Н н р          | 9-4             | 12Ni       | (180) | Baca  | <b>Metal</b> |
| ſ | (a)(d         |                        | 90-9        |                                | 71             | <i>)</i>        | 86         | (100) | Dase  | ne car       |
| ı | (g)<br>L      | +                      | 77          |                                | 82             |                 | 79-8       | 39    |       |              |
| ı | (b)(e<br>(h)  | 0                      | 80-9        | 93                             | 72             |                 | 81         |       |       |              |
| 1 | M             | +                      | 76          |                                | 73             |                 | 75-1       | 78    |       |              |
| Ī | (c)(f<br>(i)  | 0                      | 87          |                                | 84-8           | 38 <sup>#</sup> | 85         |       |       |              |
| Į | <u>H</u>      | +                      | 91          |                                | 74-8           | 33              | 92         |       |       |              |
|   | Pre/Post Heat | Post Heat<br>Hold Time |             |                                |                |                 |            | 140   |       |              |
| r | Αï            | ăž<br>T                | L           | <del> </del>                   | - '            | М               |            | H     | Prior | H.T. Cond.   |
|   | 150           | 0                      | 80-9        | 90                             | 71.            | 94*             | 78-8       | 33*   |       |              |
| ŀ | 150           | 30                     | 85-9        |                                | 73.            | -82             | 81-9       | 92    |       |              |
|   | 300           | 0                      | 84-9        |                                |                | -77             | 74-7       |       |       |              |
| Ł |               | 30                     | 79-8        | 39                             | 86-            | -87             | 76-8       | 38    | J     |              |

TABLE XVIII Work Sheet for Multiple Balance Design Experiment
Gas-Tungsten-Arc (GTA) Weld Process

\*Denotes Location of Replicate Samples

TABLE XIX EFFECTS OF PROCESS, GAS, ALLOY AND FILLER ON WELD TOUGHNESS

|     | 0.1                                  |                                |                    |                                   | 82   |                  |                    |                  |                        |            |
|-----|--------------------------------------|--------------------------------|--------------------|-----------------------------------|------|------------------|--------------------|------------------|------------------------|------------|
|     | 75% A<br>25% CO <sub>2</sub>         | 149<br>166<br>166              | 211<br>241<br>741  | 185+                              | 8 88 | †8               | 107<br>127         | <del>1</del> 8   | 7 <sup>1</sup> 4<br>82 | 49<br>49   |
| 4   | 70% He<br>29.5 A<br>.50 <sub>2</sub> | 1                              | •                  | 186-190+<br>185+<br>187+<br>203** | 136  | <b>421</b>       | 113<br>140         | 111<br>91        | 129                    | 1          |
| GMA | 70% He<br>24 A<br>6 CO <sub>2</sub>  | 746                            | 172+<br>172+       | <del>1</del> 91<br>∠91            | 601  | 115<br>98<br>134 | 125-127            | 16<br>201<br>201 | -                      | 73         |
|     | Не                                   | •                              | •                  | 1                                 | •    | ı                |                    | 138              | 143-143                | 1          |
|     | He                                   | 178+<br>189+                   | 178+<br>182+       | ı                                 | 150  | 108<br>124       | 1                  | 159<br>181       | 110<br>149<br>164      | 168        |
| GTA | Ą                                    | 182-183+                       | 191+               | 184+                              | 156  | •                | 148 141<br>153-162 | 691              | •                      | ाटा        |
| _   |                                      | А                              | В                  | ນ                                 | Ω    | 된                | দ                  | ರ                | H                      | н          |
|     |                                      | ( <b>^-</b> 0<br>0 <b>S</b> T/ | N7-C1-M<br>130-T30 | i)                                | oSs. | -074-M           | सफ टे              | (0               | Т-2Cp-3W<br>К 780/ST   | (JSN:<br>H |

TABLE XX TYPICAL WELDING RATES

| Weld Process | 1.5 Inch<br>5 Ni-Cr-Mo-V | h<br>Mo-V            | 1.0 Inch<br>12Ni-5Cr-3Mo | in<br>3Mo | 0.8 Inch<br>9N1-4Co25C | n<br>.25¢ |
|--------------|--------------------------|----------------------|--------------------------|-----------|------------------------|-----------|
|              | No. Passes               | Arc Time<br>per Inch | No. Passes               | Arc Time  | No. Passes             | Arc Time  |
| GTA          | 27                       | 5.8                  | 18                       | 3.0       | 15                     | 2.2       |
| GWA          | 94                       | 1.3                  | οτ                       | 1.0       | 6                      | 6•        |
| GMA (HD)     | 17                       | 0.8                  | 9.                       | .5        | 9                      | .3        |
| GWA (SA)     | 75                       | 1.5                  | . 9                      | 1.0       | 9                      | 8.        |
| Sub Arc      | 8                        | <i>L</i> •           | 9                        | •5        | 9                      | •         |

#### TABLE XXI

#### SUMMARY OF MULTIPLE BALANCE EXPERIMENT

#### EFFECT ON:

|     | FACTOR           | POROSITY | FUSION   | CRACKING | TOUGHNESS |
|-----|------------------|----------|----------|----------|-----------|
| 1.  | Alloy            | Strong   | Strong   | Strong   | Strong    |
| 2.  | Filler           | Minor    | Minor    | Minor    | Minor     |
| 3.  | Wire size        | Moderate | Moderate | Minor    | Minor     |
| 4.  | Temper Condition | Minor    | Minor    | Minor    | Strong    |
| 5•  | Post weld temper | Minor    | Minor    | Minor    | Strong    |
| 6.  | Pre-heat         | Minor    | Minor    | Minor    | Minor     |
| 7.  | Post heat hold   | Minor    | Minor    | Minor    | Minor     |
| 8.  | Welder           | Minor    | Minor    | Minor    | Minor     |
| 9•  | Engineer         | Minor    | Minor    | Minor    | Minor     |
| 10. | Shift            | Minor    | Minor    | Minor    | Minor     |
| 11. | Order            | Minor    | Minor    | Minor    | Minor     |
| 12. | Process          | Strong   | Minor    | Moderate | Minor     |
| 13. | Joint            | Minor    | Moderate | Moderate | Minor     |
| 14. | Energy           | Moderate | Minor    | Moderate | Moderate  |
| 15. | Speed            | Moderate | Moderate | Moderate | Minor     |
| 16. | Gas              | Moderate | Moderate | Minor    | Strong    |
| 17. | Gas flow         | Minor    | Minor    | Minor    | Minor     |
| 18. | Cup-work         | Minor    | Minor    | Minor    | Minor     |
| 19. | Tip-work         | Minor    | Minor    | Moderate | Minot     |
| 20. | Filler feed      | Moderate | Minor    | Minor    | Minor     |
| 21. | Cleanliness      | Minor    | Minor    | Minor    | Minor     |
| 22. | Trailer shield   | Minor    | Minor    | Minor    | Minor     |

TABLE XXII : MATERIAL COMPARISONS

| (2)<br>QUALITY                           | CONTROL                    | TACELES A. | 4,000          | G000         | FAIR            | TNJE       | MATZ   |
|--|----------------------------|------------|----------------|--------------|-----------------|------------|--------|
| MELDABILITY                              |                            | 4005       | FAIR           | FAIR<br>4000 | 0005            |            | 3      |
| TIJIONWAO3                               |                            | 07<br>37   | C TED<br>DEQUA |              | GCOS            |            | 200    |
| PROBABILITY OF<br>LEAK BEFORE<br>FAILURE | :                          | HIGH       | HIGH           | HKH          | NOI             |            | 1      |
|  | 560″                       | HSIH       | ron            | LON          | NIL.            | -          | 1      |
| رم%)در<br>(م%)در                         | PROOF<br>~ IN.             | -83+       | 14.            | 98.          | ۲۷.             | 8          | 20,    |
| CASE (1) THICKNESS ~ IN.                 | 260" 156"                  | .61        | .50            | .50          | .43             | .36        | .36    |
| CAS<br>THICKN                            | ,972                       | 1.02       | .84            | .84          | ٦٢.             | 3.         | 3      |
| WELD<br>TOUGHNESS                        | K <sub>IC</sub><br>KSIJĪN. | 200+       | 071            | 160          | 130             | 75         | R<br>R |
| WE<br>TOUGT                              | (KSI) PROCES               | GTA<br>GMA | GTA            | GTA          | GTA             | <b>STP</b> | SUB    |
| fey<br>Min<br>(KSI)                      |                            | 140        | 170            | 071          | 200             |            | 267    |
|  |                            | 15:4-150   | IZ Ni          | N 6          | 18 N Á<br>(200) | IEN!       | (250)  |

(1) FOR: MEOP = 800 YLD F.S. = 1.3 WELD FACTOR = .95 PROOF = 1.1 MEOP

(2) AS AFFECTED BY EXPECTED & REQUIRED QUALITY

#### APPENDIX A

TÓ

#### FIRST YEAR SUMMARY PROGRESS REPORT

VOLUME I

June, 1965

CONTRACT

AF 33(615)-1623

ANALYSIS OF SECONDARY STRESSES

#### TABLE OF CONTENTS

|    |      |         |                                  | Page |
|----|------|---------|----------------------------------|------|
| 1. | INTR | ODUCTIO | N                                | 1    |
|    | 1.1  | Signif  | icance of Problem                | 1    |
|    | 1.2  | Object  | and Scope                        | 1    |
| 2. | THE  | FLAW SI | ZE CORRECTION FACTOR             | . 2  |
| 3. | ANGU | LAR MIS | MATCH                            | 3    |
|    | 3.1  | Assump  | tions                            | 3    |
|    | 3.2  | Cylind  | rical Casings                    | 3    |
|    |      | 3.2.1   | Girth Welds                      | 3    |
|    |      | 3.2.2   | Longitudinal Welds               | 6    |
|    | 3.3  | Spheri  | cal Heads                        | 8    |
|    |      | 3.3.1   | Girth Welds                      | 8    |
|    |      | 3.3.2   | Gore Welds                       | 9    |
| 4. | RADI | al mism | ATCH                             | 10   |
|    | 4.1  | Assump  | tions                            | 10   |
|    | 4.2  | Cylind  | rical Casings                    | 10   |
|    |      | 4.2.1   | Girth Welds                      | 10   |
|    |      | 4.2.2   | Longitudinal Welds               | 15   |
|    | 4.3  | Spheri  | cal Heads                        | 16   |
|    |      | 4.3.1   | Girth Welds                      | 16   |
|    |      | 4.3.2   | Gore Welds                       | 17   |
| 5. |      |         | GEOMETRIC DISCONTINUITIES Y-RING | 18   |

#### NOTATION

| ending Moment                          |
|--|
| g Moment                               |
| orce                                   |
|  |
| ize Correction Factor                  |
| law Size Correction Factor             |
| lents for Rotation Due to              |
| lents for Radial Deflection<br>1 Force |
|  |

#### ANALYSIS OF SECONDARY STRESSES

#### 1. INTRODUCTION

#### 1.1 Significance of Problem

The welding of large motor casings can introduce both geometric discontinuities and embedded flaws into the casing wall. Secondary stresses which result from the geometric discontinuities affect the fracture resistance of the casing at the location of the embedded flaws. Hence, a knowledge of secondary stresses that can be developed by geometric discontinuities is a necessary prerequisite to the prediction of the performance capabilities of a given motor case.

#### 1.2 Object and Scope

This study has two objectives. The first is to determine the secondary stress fields which can be developed near geometric discontinuities in large rocket motor casings. The second is to establish the effect of the secondary stresses on allowable flaw size.

The study will be limited to the consideration of discontinuities which can be caused by the welding of large casings. Geometric discontinuities commonly due to welding are

- 1) angular mismatch (Figure 1a),
- 2) radial mismatch (Figure 1b).

Individual analyses are made of each of the abovementioned discontinuities at longitudinal and girth welds in both the heads and bodies of rocket motor casings.

A geometric discontinuity inherent to the design of the vessel is the head to shell juncture which is effected by means of a Y-ring. Analyses

were made of the Y-ring junctures for three different motor cases in order that the combined effects of Y-ring discontinuity, material delamination and radial mismatch could be computed. A single solution has been completed for combined effect of Y-ring discontinuity and angular mismatch.

#### 2. THE FLAW SIZE CORRECTION FACTOR

Results of studies of geometric discontinuities in large rocket motor casings will be expressed in terms of a quantity called the flaw size correction factor. Critical flaw sizes are computed from the expression

$$\left(\frac{a}{Q}\right)_{cr.} = \frac{1}{1.21\pi} \cdot \frac{K_{IC}^2}{\sigma_{rr}^2} \cdot \frac{1}{M\kappa}$$
 (1)

where

- a is flaw size,
- Q is a function of the order of 1 which has a value dependent upon the flaw shap, yield strength of the material, and applied stress level.
- K<sub>IC</sub> is plane strain fracture toughness of the material containing the flaw,
- $\sigma_{\rm T}$  is the component of the stress field acting perpendicularly to the plane of the crack,
- Mk is an approximate correction factor to account for the relative geometry of flaw and structure.

The above expression can be written as

$$\left(\frac{\mathbf{a}}{Q}\right)_{\mathrm{cr.}} = \frac{1}{1.21\pi} \frac{K_{\mathrm{IC}}^2}{A_{\mathbf{k}}^2} \frac{1}{M_{\mathrm{K}}}$$
 (2)

where

 $\sigma_{\rm m}$  = the component of the membrane stress solution acting perpendicularly to the plane of the crack.

Ak is the flaw size correction factor.

It is now apparent that

$$A_{k} = \left(\frac{\sigma_{T}}{\sigma_{m}}\right)^{2} \tag{3}$$

and is a scaler by which a critical flaw size associated with a given component of the membrane stress solution must be divided in order to obtain the critical flaw size associated with the corresponding component of the total stress field.

#### 3. ANGULAR MISMATCH

#### 3.1 Assumptions

In the following stress analyses of angular mismatch, it will be assumed that

- 1) Plane sections remain plane and normal to the inextensional middle surface (Kirchoff Assumption)
- 2) The geometry of an angular mismatch is symmetric with respect to its cusp
- 3) The angular mismatch is sufficiently far away from other causes of secondary stress so that there is no interaction with the other causes (other mismatches, Y-rings, nozzle adapter rings, etc.).

#### 3.2 Cylindrical Casings

3.2.1 Girth Welds: In the analysis of angular mismatch at girth welds, it will be assumed that the angular mismatch is axisymmetric.

If angular mismatch is not axisymmetric, it is suggested that the stresses at the point of maximum sink-in for the non-uniform mismatch can be approximated by the stresses in an axisymmetrically mismatched cylinder with a sink-in equal to the maximum sink-in of the non-uniform mismatch.

Secondary stresses which result from angular mismatch depend on the geometry of the mismatch. If the sink-in curve shape is described as shown in Figure 2a, three variables are needed to describe the mismatch geometry: the length L, the sink-in  $\delta$  and the curve shape T. It was decided that a better assumption for mismatch geometry would be the shape generated by an imaginary concentrated moment assumed to act at the mismatched weld (Figure 2b). The concentrated moment is probably a good representation of the manner in which an angular mismatch is developed. The latter representation reduces the number of variables needed to describe the angular mismatch to one,  $\delta$ . Furthermore, the use of the concentrated moment representation takes into account the effect that motor case geometry would exert on angular mismatch geometry.

The problem of axisymmetric angular mismatch was solved by using the direct stiffness method described in (1). In the neighborhood of the angular mismatch, the shell was represented by a series of finite truncated conical elements connecting nodal circles (Figure 3). It was assumed that the displacements everywhere in the structure could be described in terms of the displacement of the nodal circles and that the pressure load could be replaced by a set of equivalent loads at the nodal circles. Compatibility of deformation was satisfied precisely at the nodal circles and approximately along the other elemental boundaries. The displacements were represented by the three displacement components u, w and  $\beta$  at each nodal circle. These displacements and the corresponding equivalent loads T, N and M are illustrated in Figure 3.

It was discovered that the angular mismatch problem exhibited a beam-column type of non-linearity. The non-linearity was taken into account by using the incremental force method described in (2). Briefly, the proof pressure load of the structure was broken into a number of increments. The deflections were computed for the first increment of load by using the stiffness matrix of the undeflected structure. The computed deflections were then added to the initial geometry and a new stiffness matrix was calculated for the partially deflected structure. The deflections for the second increment of load were then computed by using the new stiffness matrix. This procedure was repeated until the total pressure load was added to the structure.

The accuracy of this approximate solution depends on the number of increments into which the load is divided. It was found that for the particular problem of circumferential angular mismatch, division of the load into more than five increments resulted in only a very small change in the computed forces. Hence, the load was added in five increments in all of the solutions described herein.

The stresses due to the various secondary force components developed near an angular mismatch at a girth weld in a cylinder are illustrated in Figure 4. The stresses are for the particular geometry indicated on that Figure. The dominant stress is that generated by the longitudinal secondary bending moments. The longitudinal bending stress is maximum at the apex of the cusp

of the mismatch. The shear stresses are small in comparison to most of the other secondary stresses and will not be taken into account in the computation of flaw size correction factors. All other secondary forces will be taken into consideration.

The flaw size correction factors computed at the apex of the cusp are shown for three different motor casings in Figures 5, 6, and 7. The correction factors are computed using the maximum moment stresses acting in the outside fibres of the casing wall. Hence, the correction factors are conservative.

3.2.2 Longitudinal Welds: In the analyses of angular mismatch at longitudinal welds in cylinders, it was assumed that the mismatch geometry was uniform along the entire length of the cylinder. If the mismatch is not uniform, the stresses at the point of maximum sink-in can be approximated by the stresses in a uniformly mismatched cylinder which contains a sink-in equal to the maximum sink-in of the non-uniform mismatch.

The shape of the assumed angular mismatch curve is illustrated in Figure 8. This simple geometry was chosen to avoid the complexities which arise from taking the curve shape caused by a concentrated moment acting at the longitudinal weld. The solutions had to be computed by hand and a choice of a complicated mismatch geometry would have added greatly to the amount of hand calculation that was necessary. It was found in the girth weld angular mismatch problem that the solutions

derived from the curve shape of Figure 8 differed little from solutions derived for the more complicated mismatch geometry of Figure 2b. Hence, the more simple geometry was chosen for the solution of this particular problem.

In order to solve the longitudinal angular mismatch problem, it was assumed that the cylinder underwent a plane strain type of deformation. Hence a slice could be imagined to be cut from the cylinder forming a ring. Because of the plane strain assumption, the forces developed in the ring by the pressure acting on the slice are the same as the forces generated by the pressure acting on the cylinder. In the analysis of a ring, it can be imagined that the circular force line of the ring is straightened out to form a beam as in Figure 9a. For loadings symmetrical to line A-A on the same figure, the boundaries of the analagous beam would be fixed. If the beam is loaded with the longitudinal forces pR and the cylinder with the pressure p, the forces generated in the two structures at corresponding points are identical. Intuitively, it was felt that the forces developed in a pressurized ring with angular mismatch would be very nearly the same as the forces developed in the beam of Figure 9b. The only difference, in the case of uniform longitudinal mismatch, would be the "pinching effect" of the pressure acting against the mismatch. This effect is small. A linear analysis of the two structures yielded solutions which did differ only by the "pinching effect."

A non-linear numerical analysis was made of the analagous beam of Figure 9b in order to determine the forces generated by longitudinal angular mismatch. A set of deflections was assumed for a discrete

number of node points along the beam and the moments generated by the longitudinal forces acting through the deflections was computed. The deflections resulting from the moments were then determined at each node point and compared with the assumed deflections. This procedure was repeated until the assumed and computed deflections agreed at every node. The converged answer is the correct answer to the problem. The analysis was made by well known numerical techniques that can be found in most texts on numerical analyses.

The magnitude and distribution of secondary stresses developed by an angular mismatch at a longitudinal weld are shown in Figure 10. The stresses are for the particular geometry indicated on the Figure. The dominant stress is the circumferential bending stress which is maximum at the apex of the cusp. The shear stresses are small and will not be taken into account in the computation of flaw size correction factors.

The flaw size correction factors computed at the apex of the cusp are shown for three different motor casings in Figures 11, 12, and 13. The correction factors are computed using the maximum moment stresses in the outside fibres of the casing wall.

#### 3.3 SPHERICAL HEADS

3.3.1 Girth Welds: The method of analysis of angular mismatch at girth welds in spherical heads was identical to the method described in connection with angular mismatch at girth welds in cylinders (Section 3.2.1). It is wished to do some final

checking of the results before they are reported. Sample results are presented for one motor case in Figure 5.

3.3.2 Gore Welds: Because of the uniform geometry of a sphere, angular mismatch at gore welds gives the same results as does angular mismatch at girth welds. It is recognized that a uniform angular mismatch will never exist in a spherical head. However, it is again suggested that the stresses at the point of maximum sink-in for a non-uniform mismatch will be equal to or less than the stresses in a uniformly mismatched gore weld which contains a sink-in equal to the maximum sink-in of the non-uniform mismatch. Hence, the same flaw size correction factor will be given for angular mismatch at both qirth and gore welds in spherical heads.

#### 4. RADIAL MISMATCH

#### 4.1 Assumptions

In the analysis of radial mismatch, it will be assumed that

- 1) the Kirchoff assumption is valid,
- 2) radial mismatch results only in an offset of the middle surface of the shell and does not change the geometry of the joined shell segments, i.e., cylinders remain cylindrical and spheres remain spherical.

The first assumption reduces the radial mismatch problem to one of two dimensions so that the usual two dimensional shell theory can be applied.

The second assumption permits a general solution which is applicable to any motor casing. In motor casings, welds are used to join theoretically perfect cylindrical or spherical segments. If any radial mismatch is introduced at the weld, the joined segments cannot be geometrically perfect. However, the amounts of radial mismatch will be very small in comparison to the radii of the joined segments. The resultant deviations from the assumed geometrically perfect surfaces should normally be slight. Hence, the second assumption seems quite reasonable. If significant geometry changes are introduced by a radial mismatch, each individual problem would have to be separately analyzed.

#### 4.2 Cylindrical Casings

14.2.1 Girth Welds: Consider an axisymmetric internally pressurized shell which has an axisymmetric radial mismatch (Figure 14a).

If the shell is imagined to be cut into two pieces by a plane passing through the mismatched section, it is fundamentally possible to represent the forces at the cut section by equal and opposite shearing forces Ω and equal, opposite, and col-

linear forces N acting along some unknown line of action (Figure 14b). There is no bending moment. If the longitudinal forces are moved to the middle surfaces of the shell segments, they must be accompanied by the bending moments  $M_1 = Nd$  and  $M_2 = Ng$  (Figure 14c). The two moments  $M_1$  and  $M_2$  differ by an amount N  $\delta$  because of the nonconcurrence of the middle surfaces. This imbalance in moment, N  $\delta$ , will hereafter be called the "mismatch moment."

By writing equations of continuity at the joint, it can be shown (3) that

$$M_1 = Y p + \rho_1 N \delta$$
  
 $M_2 = Y p + \rho_2 N \delta$ 

where

$$\gamma = \frac{(\beta_{1p} - \beta_{2p})(\delta_{1H} - \delta_{2H}) - (\beta_{1H} - \beta_{2H})(\delta_{1p} - \delta_{2p})}{(\beta_{1H} - \beta_{2H})(\delta_{1M} - \delta_{2M}) - (\beta_{1M} - \beta_{2M})(\delta_{1H} - \delta_{2H})}$$

$$\rho_{1} = \frac{\beta_{2M}(\delta_{1H} - \delta_{2H}) - \delta_{2M} (\beta_{1H} - \delta_{2H})}{(1_{H} - 2_{H})(\delta_{1M} - \delta_{2M}) - (1_{M} - 2_{M})(\delta_{1H} - \delta_{2H})}$$
(4)

$$\rho_{2} = \frac{\beta_{1M}(\delta_{1H} - \delta_{2H}) - \beta_{1M} (\beta_{1H} - \beta_{2H})}{(\beta_{1H} - \beta_{2H})(\delta_{1M} - \delta_{2M}) - (\beta_{1M} - \beta_{2M})(\delta_{1H} - \delta_{2H})}$$

The subscripts 1 and 2 relate the subscripted quantities to the two different shell segments of Figure 14.

Since the shell geometry is assumed to be symmetrical with respect to the mismatched seam, it can be shown that

$$\begin{cases} \gamma = 0 \\ |\rho_1| = |\rho_2| = 1/2 \end{cases} \tag{5}$$

and the moments  $M_1$  and  $M_2$  take on the value

$$|M_1| = |M_2| = \frac{NS}{2} \tag{6}$$

A further consequence of the assumed symmetry of shell geometry is that the change in membrane force N which is caused by the radial mismatch is zero at the mismatched section. Hence, the value of N in Equation 6 can be taken as the membrane solution value of Nø.

In general, circumferential radial mismatch will not be axisymmetric. However, the assumption of insignificant geometry change leads to the following result: if the amount of radial mismatch at any location on the non-axisymmetrically mismatched joint is  $\delta_{\mathbf{x}}$ , the value of the moments  $\mathbf{M}_1$  and  $\mathbf{M}_2$  will be  $\mathbf{N}_{\ell} \delta_{\mathbf{x}}$  /2 at that particular location.

The secondary forces developed by radial mismatch are distributed to the adjacent shell segments in which they attenuate to zero. A solution (4) is available for the attenuation of the forces near a axisymmetrically mismatched circumferential weld. A solution could be developed for non-axisymmetric mismatch by means of a Fourier Series analysis. However, the latter solution has not been undertaken.

The theoretical distribution of longitudinal bending moments

#### 4.2.1 (cont'd)

developed by a axisymmetric radial mismatch is included in Figure 15. It can be seen that the peak moments occur at the mismatched weld and that the weld is located in an area of rapidly varying secondary stress. It is recognized that the peak moments computed for the idealized mismatch of Figure 1 will seldom, if ever, be realized in an actual vessel. Actual mismatches will not be as abrupt as that shown in Figure 1. However, it is conservative to use the theoretical peak moments in computing flaw size correction factor. Hence, the peak moments will be used in this appendix in the flaw size correction factor determination. Furthermore, it appears appropriate to assume that the peak secondary moments are constant over the total width of nugget and heat affected zone.

Computations have shown that stresses developed by secondary forces other than the bending moments are small. For example, if

$$R = 130 \text{ in.}$$
  
 $t = 0.75 \text{ in.}$   
 $s = 0.10 \text{ in.}$   
 $p = 760 \text{ p.s.i.}$ 

the maximum bending and shearing stresses are

Hence, account will be taken of only the secondary bending moments and primary membrane solution forces in computing flaw size correction factors.

4.2.1 (cont'd)

For cylindrical casings, N will be set equal to the membrane value of pR/2. The maximum value of the longitudinal bending moment is then  $pR\delta/4$  where  $\delta$  is the value of the radial mismatch at the section under investigation. The resulting circumferential bending moment is  $\mu pR\delta/4$ . The maximum longitudinal and circumferential stresses occur in the extreme fibers of the casing wall and are given by the expressions

$$\sigma_{\phi} = \frac{pR}{2t} + \frac{3\delta}{2t^2} \cdot pR$$

$$\sigma_{\phi} = \frac{pR}{2t} + \frac{3\mu\delta}{2t^2} \cdot pR$$
(7)

The corresponding flaw size correction factors are

$$A\kappa\phi = \left\{1 + 3\frac{\delta}{t}\right\}^{2}$$

$$A\kappa\phi = \left\{1 + \frac{3\mu}{2}\frac{\delta}{t}\right\}^{2}$$
(8)

Equations 8 are plotted in Figure 16.

The above flaw size correction factors are conservative values since they are based on the maximum stresses which occur in the extreme fibers of the vessel wall.

The attenuation of the values of the longitudinal flaw size correction factors in an axisymmetrically mismatched cylinder is illustrated in Figure 17.

4.2.2 Longitudinal Welds: The same assumptions and reasoning that were used in the stress analysis of mismatched circumferential welds have been used in the stress analysis of mismatched longitudinal welds. The value of N was taken as the membrane solution value of N\_which equals  $\rho R$ . The value of the moments M<sub>1</sub> and M<sub>2</sub> become  $\rho R \delta / 2$  where  $\delta$  is the value of radial mismatch at the section under consideration. The resulting longitudinal bending moment is given with sufficient accuracy by  $\mu \rho R \delta / 2$ . Hence, the maximum circumferential and longitudinal stresses in the case are

$$\sigma_0 = \frac{pR}{t} + \frac{3pRS}{t^2} \tag{9}$$

$$\sigma_i = \frac{pR}{2t} + \frac{3uS}{t^2} \cdot pR$$

The corresponding flaw size correction factors are

$$A\kappa\phi = \left\{ 1 + 3\frac{\delta}{t} \right\}^{2}$$

$$A\kappa\phi = \left\{ 1 + 6\mu\frac{\delta}{t} \right\}^{2}$$
(10)

Equations 10 are plotted in Figure 18.

A study of the attenuation of the circumferential secondary bending moments was made in (5). Solutions were derived for longitudinally mismatched cylinders with simply supported ends. However, if the mismatch is located sufficiently far away from the end support, the end support condition should not have a great deal of effect on the solution.

# 4.3 Spherical Heads

4.3.1 Girth Welds: The analysis of radially mismatched girth welds in spheres is very similar to the analysis described for radially mismatched girth welds in cylinders. If the head is imagined to be cut at the mismatch, the force system on the cut faces can be represented as in Figure |4a or |4b. If one uses the simplified theory for spherical shells (4), it is found that

$$\left|\mathbf{M}_{1}\right| = \left|\mathbf{M}_{2}\right| = \frac{\mathbf{N}\delta}{2} \tag{11}$$

which is the same result as that which was derived for cylindrical shells.

The ratio of (R/t) for the heads of large rocket motor casings is very large. The simplified theory of spherical shells gives very accurate results for such heads, even near the crown of the heads. Hence, equation 11 is valid for all girth welds which do not fall within the area of influence of the Y ring or nozzle adapter ring.

The value of N is the membrane solution value of pR/2. The absolute value of the moments M<sub>1</sub> and M<sub>2</sub> is then pR $\delta/4$ . The corresponding circumferential moment is  $\mu$ pR $\delta/4$ . Ignoring the effects of shearing forces and changes in the in-plane forces of the stress state, the maximum meridional and circumferential stresses at the mismatched girth weld are

$$\sigma_{\theta} = \frac{\rho R}{2t} + \frac{3\rho R \delta}{2t^2} \tag{12}$$

$$\sigma_{\theta} = \frac{\rho R}{2t} + \frac{3\rho R \delta}{2t^2}$$

## 4.3.1 (cont'd)

The corresponding flaw size correction factors are

$$A\kappa\phi = \left\{1 + 3\frac{\delta}{t}\right\}^{2}$$

$$A\kappa\phi = \left\{1 + 3\kappa\frac{\delta}{t}\right\}^{2}$$
(13)

Equations 13 are plotted in Figure 16.

4.3.2 Gore Welds: Using the simplified type of analysis described herein, the analysis of the secondary moments developed by mismatched gore welds is identical to the same analysis for girth welds. The resulting flaw size correction factors for mismatched gore welds is

$$A\kappa\theta = \left\{1 + 3\frac{s}{t}\right\}^{2}$$

$$A\kappa\phi = \left\{1 + 3\mu\frac{s}{t}\right\}^{2}$$
(14)

Equations 14 are plotted in Figure 18.

5. ANALYSIS OF GEOMETRIC DISCONTINUITIES ADJACENT TO Y-RING

When radial and angular mismatch occur adjacent to a Y-Ring, the combined effects of Y-Ring discontinuity and geometric discontinuity must be determined. Combined effects analysis were made in the usual manner. The Y-Rings were cut into a number of segments and the shears and moments on the cut faces were taken as the unknowns for which the solution was to be conducted. Equations of equilibrium and continuity were written for each joint and the resulting sets of

was assumed that plane sections remain plane and normal to the middle surface. The elemental breakdown scheme for the forward Aerojet 260, Thiokol 260, and Thiokol 156 Y-Rings are included in Figures 19 and 20.

simultaneous linear algebraic equations were solved for the unknown

forces. Two-dimensional theory was used in all solutions, i.e., it

The major difficulty in performing the Y-ring analysis was caused by the unusual loading conditions used in the proof tests. The proof test set-up generates a large tensile stress in the heads of the casings. However, the skirts are loaded with a small compressive force in Aerojet case and it was assumed that the skirts in the Thickol cases will be unloaded. The large differences in skirt and head forces creates a large moment at the junction of the head, skirt and thickened portion of the Y-Ring. It is recognized that the use of two-dimensional theory will result in some inaccuracies in the analysis at the above mentioned junctions. However, a three dimensional elasticity solution of the junction is prohibitively difficult. Hence, two-dimensional theory was used in the analysis described herein. A knowledge of the stress level that are developed in the junction area can best be determined from measurements of strain during proof test.

#### 5. (cont'd)

An analysis was conducted to determine the effects, on stress, of plate delamination near a weldment. The delaminations were assumed to occur only in the parts of the casings which are to be fabricated from plate stock. The locations and magnitudes of the assumed delaminations are illustrated in Figures 19 and 20. The flaw size correction factors determined for combined delamination and radial mismatch at both head to Y-ring and shell to Y-ring welds is illustrated for both 260inch diameter Aerojet and Thiokol casings in Figures 21 through 24 (the solution for the 156-inch diameter Thiokol casing is not complete at this time). The delaminations were assumed to occur at a depth of 0.375 t from the surface of the plate in both Thiokol casings. Analyses showed that delamination at this location resulted in maximum stress in the delaminated material. In the Aerojet casing, solutions were conducted for only mid-plane delaminations. The stress differences between mid-plane and 0.375t delaminations are small. The results show that delaminations can have a significant effect on the flaw size correction factor.

An analysis was conducted to determine the effect, on stress, of angular mismatch at the head to Y-Ring weld in the 260-inch diameter Aerojet casing. The analysis was linear and, hence, overestimates the flaw size correction factors. However, the results are conservative and are presented in Figure 25.

### SUMMARY

Secondary stresses developed by radial and angular discontinuities at welds in large pressure vessels have been computed. The discontinuities were assumed to occur individually. The combined effects of radial and Y-ring discontinuity and angular and Y-ring discontinuity were determined. An analysis of the effects of delamination in the material adjacent to a Y-ring also was made.


The effect of the secondary stresses on the flaw sizes which can be allowed at the weld locations has been computed.

### LIST OF REFERENCES

- 1. Grafton, P. E., and Strome, D. R., "Analysis of Axisymmetrical Shells by the Direct Stiffness Method", <u>AIAA Journal</u>, Vol. 1, No. 10, October 1963.
- 2. Turner, M. J., Dill, E. H., Martin, H. C., and Melosh, R. J.,

  "Large Deflection of Structures Subjected to Heating and External
  Loads," <u>Journal of the Aero/Space Sciences</u>, Vol. 27, No. 1,

  January 1960.
- 3. Johns, R. H., and Orange, T. W., "Theoretical Elastic Stress Distribution Arising From Discontinuities and Edge Loads in Several Shell Type Structures", NASA TR R-103, 1961.
- 4. Timoshenko, S., "Theory of Plates and Shells,", Book, McGraw-Hill, 1959.
- 5. "Large Motorcase Technology Evaluation", Progress Report, Contract AF33(615)-1623, The Boeing Company, December, 1964.



AIB: RADIAL MISMATCH

FIG. AI: MISMATCH CONFIGURATIONS






FIG. AZ: ANGULAR MISMATCH



SHELL WITH PO FIG. A.3: ELEMENTAL BREAKDOWN ANGULAR MISMATCH



SECONDARY STRESS DISTRIBUTION DUE TO ANGULAR MISMATCH AT GIRTH WELD IN AEROJET 260 INCH MISMATCH AT CYLINDER FIG. A4:





FIG. AS: FLAW SIZE CORRECTION FACTORS, ANGULAR MISMATCH, GIRTH WELDS, AEROJET 260 INCH DIA. CASE




A-27

CORRECTION FACTORS, ANGULAR GIRTH WELDS, THIOKOL 156

SIZE

FIG. A7. FLAN SIR MISMATCH INCH DIA



SIZE CORRECTION FACTOR




FIG. A8: ANGULAR MISMATCH CONFIGURATION ASSUMED FOR LONGITUDINAL WELDS IN CYLINDERS





FIG. A9: LONGITUDIMAL ANGULAR MISMATCH ANALYSIS



STRESS DISTRIBUTION DUE TO ANGULAR AT LONGITUDINAL WELD SECONDARY CYLINDER MISMATCH FIG. AIO:








FIG. AII: FLAW SIZE CORRECTION FACTORS, ANGULAR MISMATCH, LONGITUDINAL (GORE) WELDS, AEROJET 260 INCH DIA CASE




260 INCH





FACTORS, ANGULAR (GORE) WELDS, THIOKOL FIG. AIS: FLAW SIZE CORRECTION MISMATCH, LONGITUDINAL ISC INCH DIA CASE






FIG. A14: AXISYMMETRIC RADIAL MISMATCH




FIG. A15: DISTRIBUTION OF LONGITUDINAL SECONDARY BENDING MOMENT AT AXISYMMETRIC CIR-CUMFERENTIAL MISMATCH IN CYLINDERS







FIG. AIG: FLAW SIZE CORRECTION FACTORS, RADIAL MISMATCH AT GIRTH WELDS

FLAW SIZE CORRECTION FACTOR



CORRECTION FACTORS FOR ENTIAL RADIAL MISMATCH FIG. AIZ: FLAN SIZE COR CIRCUMFERENT IN CYLINDERS




FIG. AIB: FLAN SIZE CORRECTION FACTORS, RADIAL MISMATCH AT LONGITUDINAL (GORE) WELDS






FIG. A19: FORWARD BULKHEAD-Y RING-CYLINDRICAL SHELL CONNECTIONS, DELAMINATED BULKHEAD & CYLINDER, 260 SL AEROJET CASE



BULKHEND AND CYLINDER, らただして BULKHEND - Y RING - CYLINDRICAL CASES HIOKOL , DELAMINATED 410 "951 ONA 260 " 014 P FIG. A20 : FORWARD



MISMATCH , 8/t

FIG. A 21: FLAW SIZE CORRECTION FACTOR FOR BULKHEAD TO Y-RING WELD WITH GROSS DELAMINATION AND MISMATCH, 260 SL AERO JET CASE





FIG. A 22: FLAW SIZE CORRECTION FACTORS, SHELL TO Y-RING WELD, DELAMINATION AND RADIAL MISMATCH, 260 SL AERO JET CASE



RADIAL MISMATCH, 5/2

FIG. AZ3: FLAW SIZE CORRECTION FACTORS
FOR BULKHEAD TO Y-RING WELD,
DELAMINATION AND RADIAL MISMATCH,
260 SL THIOKOL CASE




FIG. A24: FLAW SIZE CORRECTION FACTORS,
SHELL TO Y-RING WELD, DELAMINATION
AND RADIAL MISMATCH, 260 SL
THIOKOL CASE




FIG. A25: FLAN SIZE CORRECTION FACTORS, ANGULAR MISMATCH, HEAD TO Y-RING WELD, 260 SLAEROJET CASE

CORRECTION アレアダ BZIS

### DISTRIBUTION LIST FOR AF 33(615)-1623

National Aeronautics & Space Admin. Lewis Research Center 21000 Brookpark Road Cleveland, Ohio 44135 Attn: Library

National Aeronautics & Space Admin. Launch Operations Center Cocoa Beach, Florida 32931 Attn: Library

National Aeronautics & Space Admin.
Manned Spacecraft Center
P. O. Box 1537
Houston, Texas 77001
Attn: Library

National Aeronautics & Space Admin. George C. Marshall Space Flight Center Huntsville, Alabama 35800 Attn: Library

National Aeronautics & Space Admin. Langley Research Center Langley Air Force Base Virginia 23365 Attn: Library

National Aeronautics & Space Admin.
Washington, D. C. 20546
Attn: Office of Technical Information
and Educational Programs, Code ETL

Scientific and Tech. Info. Facility P. O. Box 5700 Bethesda, Maryland 20014

National Aeronautics & Space Admin. Washington, D. C. 20546 Attn: R. W. Ziem (RPS)

Attn: NASA Representative

National Aeronautics and Space Admin. Goddard Space Flight Center Greenbelt, Maryland 20771 Attn: Library

Defense Documentation Center Cameron Station Alexandria, Virginia 22314 (19) Air Force Systems Command Attn: SCTAP Andrews AFB Washington, D. C. 20331

Arnold Eng. Development Center Attn: AEOIM Air Force Systems Command Tullahoma, Tennessee 37389

AFRPL (RPR) Edwards, California 93523

AFRPL (RPMB)
Edwards, California 93523 (2 copies)

AFRPL (RPLL) WPAFB, Ohio 45433

Office of Research Analysis Attn: RRRT Holloman AFB, New Mexico 88330

Wright-Patterson AFB, Ohio 45433 Attn: AFML (MAAE) (3 Copies)

Wright-Patterson AFB, Ohio 45433 Attn: AFML (MAAM)

Commander
AFSC
Foreign Technology Division
Wright-Patterson AFB, Ohio 45433
Attn: RTD(TD-E3b)

Commanding Officer
U. S. Army Research Office (Durham)
Box CM, Duke Station
Durham, North Carolina 27706

Commanding Officer Frankford Arsenal Philadelphia, Pennsylvania 19137 Attn: Metallurgical Research Lab.

Commanding Officer
Picatinny Arsenal
Dover, New Jersey 07801
Attn: Library

Commanding Officer
Picatinny Arsenal
Liquid Rocket Propulsion Laboratory
Dover, New Jersey 07801
Attn: Tachnical Library

U. S. Army Missile Command Redstone Scientific Info. Center Redstone Arsenal, Alabama 35808 Attn: Chief, Document Section

Bureau of Naval Weapons Department of the Navy Washington, D. C. 20360 Attn: DLI-3

Bureau of Naval Weapons Department of the Navy Washington, D. C. 20360 Attn: RMMP-2

Bureau of Naval Weapons Department of the Navy Washington, D. C. 20360 Attn: RRRE-6

Commander
U. S. Naval Missile Center
Point Mugu, California 93041
Attn: Technical Library

Commander
U. S. Naval Ordnance Laboratory
White Cak
Silver Spring, Maryland 20910
Attn: Library

Commander (Code 753)
U. S. Naval Ordnance Test Station
China Lake, California 93557
Attn: Technical Library

Commanding Officer
U. S. Naval Propellant Plant
Indian Head, Maryland 20640
Attn: Technical Library

Commanding Officer
Office of Naval Research
1030 E. Green Street
Pasadena, California 91101

Director (Code 6180) U. S. Naval Research Lab. Washington, D. C. 20390 Attn: H. W. Carhart Commanding Officer
U. S. Naval Underwater Ordnance
Station
Newport, Rhode Island 02844
Attn: W. W. Bartlett

Commander
U. S. Naval Weapons Laboratory
Dahlgren, Virginia 22448
Attn: Technical Library

Aerojet-General Corporation P. 0. Box 296 Azusa, California 91703 Attn: Librarian

Aerojet-General Corporation 11711 South Woodruff Avenue Downey, California 90241 Attn: Florence Walsh, Librarian

Aerojet-General Corporation P. O. Box 1947 Sacramento, California 95809 Attn: Technical Information Office

Aeronutronic Div. Philco Corporation Ford Road Newport Beach, California 92600 Attn: Dr. L. H. Linder, Manager Technical Information Department

Aerospace Corporation
P. 0. Box 95085
Los Angeles, California 90045
Attn: Library-Documents

Allied Chemical Corporation General Chemical Division Research Lab., F. O. Box 405 Morristown, New Jersey 07960 Attn: L. J. Wiltrakis, Security Officer

Amcel Propulsion Company Box 3049 Asheville, North Carolina 28802

IIT Research Institute
Technology Center
Chicago, Illinois 60616
Attn: C. K. Hersh, Chemistry
Division

ARO, Inc.
Arnold Engineering Dev. Center
Arnold AF Station, Tennessee 37389
Attn: Dr. B. H. Goethert
Director of Engrg.

Atlantic Research Corporation Shirley Highway and Edsall Road Alexandria, Virginia 22314 Attn: Library

Atlantic Research Corporation Western Division 209 Easy Street El Monte, California 91731 Attn: H. Niederman

Battelle Memorial Institute 505 King Avenue Columbus, Ohio 43201 Attn: Report Library, Rocm 6A

Chemical Propulsion Information Agency Applied Physics Laboratory 8621 Georgia Avenue Silver Spring, Maryland 20910

Defense Metals Information Center Battelle Memorial Institute 505 King Avenue Columbus, Ohio 43201

Douglas Aircraft Co., Inc. Santa Monica Division Santa Monica, California 90405 Attn: Mr. J. L. Waisman

The Dow Chemical Company Security Section Box 31 Midland, Michanigan 48641 Attn: Dr. R. S. Karpiuk, 1710 Bldg.

E. I. duPont deNemours and Company Eastern Laboratory Gibbstown, New Jersey 08027 Attn: Mrs. Alice R. Steward

Esso Research and Engineering Company Special Projects Unit P. O. Box 8 Linden, New Jersey 07036 Attn: Mr. D. L. Baeder General Electric Company Cincinnati, Ohio 45215 Attn: Technical Information Center

Allison Division
General Motors Corporation
Indianapolis, Indiana 46206
Attn: Plant 8, Tech. Library
Mr. L. R. Smith

Hercules Powder Company Allegany Ballistics Laboratory P. O. Box 210 Cumberland, Maryland 21501 Attn: Library

Jet Propulsion Laboratory 4800 Oak Grove Drive Pasadena, California 91103 Attn: Library (TDS) Mr. N. E. Devereux

Lockheed Propulsion Company P. O. Box 111 Redlands, California 92374 Attn: Miss Belle Berlad, Librarian

Martin Company
Baltimore, Maryland 21203
Attn: Science - Technology
Library - Mail 398

Martin Company Advanced Technology Library P. O. Box 1176 Denver, Colorado 80201

Minnesota Mining & Manufacturing Co. 900 Bush Avenue St. Paul, Minnesota 55106 Attn: J. D. Ross VIA: H. C. Zeman Security Administrator

Monsanto Research Corporation Boston Labs., Everett Station Boston, Massachusetts 02149 Attn: Library

New York University
Dept. of Chemical Engineering
New York, New York 10053
Attn: P. F. Winternitz

North American Aviation, Inc. Space and Information Systems Div. 12214 Lakewood Boulevard Downey, California 90242 Attn: W. H. Morita

Rocketdyre
6633 Canoba Avenue
Canoga Park, California 91304
Attn: Library, Dept. 596-306

Space Technology Laboratory, Inc. 1 Space Park Redondo Beach, California 90200 Attn: STL Tech. Lib. Doc. Acquisitions

Texaco Experiment Incorporated P. O. Box 1-T Richmond, Virginia 23203 Attn: Librarian

Thickol Chemical Corporation Alpha Division, Huntsville Plant Huntsville, Alabama 35800 Attn: Technical Director

Thickol Chemical Corporation Alpha Division Space Rooster Plant Brunswick, Georgia 31500

Thickol Chemical Corporation Elkton Division Elkton, Maryland 21921 Attn: Librarian

Thickol Chemical Corporation Reaction Motors Division Denville, New Jersey 07834 Attn: Librarian

Thickol Chemical Corporation Wasatch Division P. O. Box 524 Brigham City, Utah 84302 Attn: Library Section Thompson Ramo Wooldridge 23555 Euclid Avenue Cleveland, Ohio 44117 Attn: Librarian

United Aircraft Corporation Corporation Library 400 Main Street East Hartford, Connecticut 06118 Attn: Dr. David Rix

United Aircraft Corporation
Pratt & Whitney Fla. Res. & Dev.
Ctr.
P. O. Box 2691
W. Palm Beach, Florida 33402
Attn: Library

United Technology Center P. O. Box 358 Sunnyvale, California 94088 Attn: Librarian

General Electric Company Apollo Support Department P. O. Box 2500 Daytona Beach, Florida 32015

Mr. W. F. Brown, Jr. NASA/Lewis Research Center 21000 Brookpark Road Cleveland, Ohio 44135

Central Intelligence Agency 2430 E. Street, N. W. Washington, D. C. 20505 Attn: \( \cap CD \), Standard Dist.

Bureau of Ships Code 634B Washington D. C. 20390 Attn: T. J. Griffin

United States Steel Corporation Applied Research Lab. P. O. Box 38 Monroeville, Pennsylvania Attn: Dr. J. H. Gross Rensselaer Polytechnic Institute Materials Engineering Department Troy, New York Attn: Mr. W. F. Savage

AFFDL (FDTR/Mr. Royce Forman)
Wright-Patterson AFB, Ohio 45433

AFML (MAA/Lt Col. W. Postelnek) Wright-Patterson AFB, Ohio 45433

AFML (MAX/Dr. A. M. Lovelace) Wright-Patterson AFB, Ohio 45433

AFML (MAAA/Lt. Col. G. W. Roust) Wright-Patterson AFB, Ohio 45433

AFML (MAAE/Lt. R. Roeschlein) Wright-Patterson AFB, Ohio 45433

AFML (MAAE/W. P. Conrardy) Wright-Patterson AFB, Ohio 45433

AFML (MAAE/E. W. McKelvey) Wright-Patterson AFB, Ohio 45433

AFML (MAAM/S. O. Devis)
Wright-Patterson AFB, Ohio 45433

AFML (MAAM/M. Knight)
Wright-Patterson AFB, Ohio 45433

AFML (MAAM/D. Shinn)
Wright-Patterson AFB, Ohio 45433

AFML (MAAM/Lt. N. G. Tupper) Wright-Patterson AFB, Ohio 45433

AFML (MAMD/ J. A. Holloway) Wright-Patterson AFB, Ohio 45433

AFML (MAMD/ R. Rowand)
Wright-Patterson AFB, Ohio 45433

AFML (MAMP/I. Perlmutter)
Wright-Patterson AFB, Ohio 45433

AFML (MAMP/R. E. Bowman)
Wright-Patterson AFB, Ohio 45433

AFML (MAMP/R. T. Ault)
Wright-Patterson AFB, Ohio 45433

AFML (MATB/G. Glenn)
Wright-Patterson AFB, Ohio 45433

AFML (MAT/Col. M. E. Fields) Wright-Patterson AFB, Ohio 45433

AFML (MATF/Mr. F. R. Miller) Wright-Patterson AFB, Ohio 45433

AFRPL (RPMB/Mr. D. Hart)
Edwards AFB, California 93523

AFRPL (RPMB/Maj. O. Krone) Edwards AFB, California 93523

SSD (SSBS/Maj. E. Dabrowski) AF Unit Post Office Los Angeles California 90045

SSD (SSTRT/Mr. P. Propp)
AF Unit Post Office
Los Angeles California 90045

HQ. U. S. Army Materiel Command Attn: AMCRD-RC-M (Mr. L. S. Croan) Building T-7 Washington, D. C. 20315

Army Tank-Automotive Center
Materials Laboratory
Attn: Mr. Charles J. Kropf/SMOTA-RCM)
28251 Van Dyke
Warren, Michigan 48090

Commanding Officer
Frankford Arsenal - U. S. Army
Attn: D. F. Armiento/SMUFA-L 7400
Bridge & Tacony Streets
Philadelphia, Pennsylvania 19137

U. S. Army Missile Command Directorate of Research & Development Propulsion Laboratory Attn: Mr. W. S. Crownover/AMSMI-RKP Redstone Arsenal, Alabama 35809

Commanding Officer 2705 Ammunition Wing Ogden, Utah

NASA
Marshall Space Flight Center
Attn: Dr. W. R. Lucas
M-P&VE-M
Huntsville, Alabama

NASA Headquarters
Attn: Mr. R. A. Wasel
Code RFM
Washington, D. C.

NASA Attn: Mr. Harry Williams 150 Pico Blvd. Santa Monica, California

NASA - Lewis Research Center Attn: Mr. J. Kramer MS 500-209 21000 Brookpark Road Cleveland, Ohio

NASA - Marshall Space Flight Center Attn: Mr. M. G. Olsen R-P&VE-MMJ Huntsville, Alabama

NASA-Marshall Space Flight Center Attn: Mr. John Miller R-P & VE-PP Huntsville, Alabama

Bureau of Naval Weapons
Department of the Navy
Attn: RRMA-24 (Mr. Roy Gustafson)
Washington, D. C. 20360

Chief, Bureau of Naval Weapons Department of the Navy Attn: Mr. S. J. Matesky Washington, D. C. 20360

Chief, Bureau of Naval Weapons Department of the Navy Attn: Mr. N. E. Promisel Washington, D. C. 20360

Chief,
Bureau of Ships
Department of the Navy
Attn: Code 634B (Mr. T. J. Griffin)
Washington, D. C. 20390

Chief,
Bureau of Ships
Department of the Navy
Attn: Code 314A (Mr. G. Sorkin)
Washington, D. C. 20390

U. S. Naval Research Laboratory Navy Department Attn: Mr. C. D. Beachem (Code 6322 Washington, D. C. 20390 U. S. Naval Research Laboratory Department of the Navy Attn: Dr. B. F. Brown (Code 6320) Washington, D. C. 20390

U. S. Waval Research Laboratory Attn: Mr. Steven Hart Washington, D. C. 20390

U. S. Naval Research Laboratory
Attn: Dr. G. R. Irwin (Code 6212)
Mechanics Division
Washington, D. C. 20390

U. S. Naval Research Laboratory Attn: Dr. H. Romine (Code 6212) Mechanics Division Washington, D. C. 20390

U. S. Naval Research Laboratory
Attn: Mr. J. M. Krafft
Mechanics Division
Washington, D. C. 20390

Aerojet-General Corporation Solid Rocket Plant Attn: Mr. R. Cottrell P. O. Box 1947 Sacramento, California

Aerojet-General Corporation Solid Rocket Plant Attn: Mr. P. P. Crimmins P. O. Box 1947 Sacramento, California

Aerojet-General Corporation Solid Rocket Plant Attn: Mr. W. S. Tenner P. O. Box 1947 Sacramento, California

Aerospace Corporation Attn: Mr. John C. Batteiger 1111 Mill Street P. O. Box 1308 San Bernardino, California

Aerospace Corporation El Segundo Corporation Attn: Dr. George Kendall 2350 East El Segundo El Segundo, California 90045 Aerospace Corporation Attn: Mr. Harold Smallen Engineering Division 2400 E. El Segundo Blvd El Segundo, California

Air Reduction Company
Attn: Mr. K. E. Dorschu
Process & Equipment Development
Mountain Avenue
Murray Hill, New Jersey

Allegheny Ballistics Laboratory Attn: Mr. R. Randolf Hercules Powder Company Cumberland, Maryland

Allison Division/GMC Attn: Mr. D. Hanink Indianapolis 6, Indiana

ARDE, Incorporated Attn: Mr. Ralph H. Alper 100 West Century Road Paramus, New Jersey

Automation Industries, Inc. Research Laboratory Attn: Dale Maley Industrial Park Boulder, Colorado

Automation Industries, Inc. Attn: Jerry Posakony Industrial Park Boulder, Colorado

AVCO Manufacturing Corporation Research & Advanced Development Division Attn: C. H. Hastings 201 Lowell Street Wilmington, Massachusetts

Bell Aerosystems Company
Attn: Mr. J. R. Piselli
Director of Engineering
Buffalo 5, New York

Branson Instrument Incorporated Attn: Peter Bloch 57 Brown House Road Standford, Connecticut 06902 The Budd Company
Attn: Walter J. Hauck
2450 Huntingpark Avenue
Philadelphia, Pennsylvania 19132

California Institute of Technology Attn: Dr. M. L. Williams 1201 E. California Blvd. Pasadena, California 91109

Chicago Bridge & Iron Company Attn: Mr. C. D. Miller 25 Prospect Avenue, West Cleveland 15, Ohio

Curtiss-Wright Corporation Attn: Mr. E. P. Gilewicz Wright Aeronautical Division Passaic Avenue Woodridge, New Jersey

Curtiss-Wright Corporation Attn: Mr. S. Kirschener Wright Aeronautical Division Passaic Avenue Woodridge, New Jersey

Curtiss-Wright Corporation
Attn: Mr. J. Sohn, Manager
Metallurgy
Wright Aeronautical Division
Passaic Avenue
Woodridge, New Jersey

DMIC
Battelle Memorial Institute
Attn: Mr. G. T. Hahn
505 King Avenue
Columbus 1, Ohio

DMIC
Battelle Memorial Institute
Attn: Mr. R. J. Runck
Columbus, Ohio 43201

Douglas Aircraft Company, Inc.
Missiles and Space Systems Division
Attn: C. J. Adams, Group Engineer
Mechanical & NDT Section
Santa Monica, California

Douglas Aircraft Company Attn: Mr. R. H. Christensen 3000 Ocean Park Blvd Santa Monica, California Excelco Developments, Incorporated Attn: Mr. Ward Abbott Mill Street Silvercreek, New York 14136

Foster Wheeler Corporation
Attn: Mr. E. L. Daman
Director of Research
110 South Orange Avenue
Livingston, New Jersey 07039

General Dynamics/Convair Attn: Mr. H. F. Greet P. O. Box 1108 San Diego, California 92112

General Dynamics Corporation Electric Boat Division Attn: Mr. L. A. Luini R. & D Department Groton, Connecticut

General Dynamics/Electric Boat
Attn: Dr. H. E. Sheets
Director of R & D
Groton, Connecticut

General Electric Company Attn: D. C. Barnes Rocket Case Section, Bldg. 700 Cincinnati 15, Ohio

General Electric Company Research Laboratory Attn: Dr. John R. Low, Jr. P. O. Box 1088 Schenectady, New York

Grand Central Rocket Company Attn: E. F. Harris P. O. Box 11 Redlands, California

Hughes Aircraft Company Attn: Robert W. Jones Culver City, California

International Nickel Co., Inc. Attn: Mr. R. E. Decker Research Laboratories 30 Oak Street Bayonne, New Jersey Ladish Company
Attn: Mr. Robert Daykin
Metallurgical Department
Cudahy, Wisconsin

Linde Company
Union Carbide Corporation
Attn: Mr. R. L. Hackman
Electric Welding Development
P. O. Box 2819
Newark, New Jersey 07114

Lockheed-Missile & Space Company Attn: Mr. R. E. Lewis Dept. 52-30, B204 3251 Hanover Street Palo Alto, California

Lockheed-Missile & Space Company Attn: Dr. Leo Schapiro 52-30/201/2 3251 Hanover Street Palo Alto, California

Lockheed Propulsion Company Attn: Mr. J. S. Coverdale P. O. Box 111 Redland, California

Magnaflux Corporation Attn: D. O'Connor 7300 West Lawrence Avenue Chicago 31, Illinois

ManLabs, Incorporated Attn: Dr. B. S. Lement 21 Erie Street Cambridge 39, Massachusetts

Mellon Institute Attn: Dr. G. K. Bhat 4400 Fifth Avenue Pittsburgh, Pennsylvania 15213

National Science Foundation Undergraduate Education in the Sciences Attn: Dr. Paul C. Paris 1730 K Street, N. W. Washington, D. C. 20550

Newport News Shipbuilding & Dry Dock Co. Attn: Mr. G. S. Barlow, Jr. New port News, Virginia Newport News Shipbuilding & Dry Dock Co. Attn: Mr. Frank Duffey Newport News, Virginia

Newport News Shipbuilding & Dry Dock Co. Attn: Mr. W. L. Lamerdin Newport News, Virginia

North American Aviation, Inc.
Rocketdyna Division
Attn: Mr. E. L. Klein,
Manager-Advanced Products
Solid Rocket Division
McGregor, Texas

North American Aviation, Inc. Los Angeles Division Attn: Mr. William D. Padian Welding Laboratory International Airport Los Angeles, California 90009

North American Aviation
Los Angeles Division
Attn: Dr. C. S. Yen
International Airport
Los Angeles, California 90009

NTW Missile Engineering, Inc. 4820 Alcoa Avenue
Los Angeles, California 90058

The Ohio State University
Department of Metallurgical Engineering
Attn: Prof. J. W. Spretnak
116 West 19th Avenue
Columbus, Ohio 43210

Republic Steel Corporation Research Center Attn: Mr. S. J. Matas P. O. Box 7806 6801 Brecksville Road Cleveland, Ohio 44131

Republic Steel Corporation Attn: Mr. T. J. Shimmin Central Alloy District Massillon, Ohio Republic Steel Corporation Attn: Mr. R. J. Place Alloy Steel Division 410 Oberlin Avenue, S. W. Massillon, Ohio

Rocketdyna
Attn: Mr. R. L. Black
Solid Rocket Division
Johnson Drive
McGregor, Texas

Rohr Corporation Attn: Mr. T. R. Bradley P. O. Box 878 Chula Vista, California

Sandia Corporation Attn: Mr. C. H. Maak Materials Laboratory 1121 Sandia Base Albuquerque, New Mexico

Southwest Research Institute Attn: Mr. J. R. Barton 8500 Culebra Road San Antonio, Texas 78206

Southwest Research Institute Attn: Mr. L. U. Rastrelli 8500 Culebra Road San Antonio, Texas 78206

Space Technology Laboratories Attn: Dr. P. N. Randall Materials Sciences Redondo Beach, California

Sperry Products Company
Attn: Mr. H. E. Van Valkenburg
Danbury, Connecticut

Sun Shipbuilding & Dry Dock Company Rocket Fabrication Division Attn: Mr. Charles Garland Chester, Pennsylvania

Sun Shipbuilding & Dry Dock Company Attn: Mr. Byron Nierenberg Chester, Pennsylvania Syracuse University
Attn: Dr. Volker Weiss
Bldg D6 Collendale Campus
Syracuse, New York 13210

Thickel Chemical Corporation Attn: Mr. P. Craig, Technical Director Space Booster Division Brunswick, Georgia 31520

Thickol Chemical Corporation Alpha Division Attn: Mr. T. H. Burns, Metallurgist Huntsville, Alabama

Thickel Chemical Corporation Attn: Mr. J. F. Douglas Space Booster Division Brunswick, Georgia

Thickol Chemical Corporation Attn: Mr. A. G. Melville Materials Department Wasatch Division Brigham City, Utah 84302

TRW, Incorporated
Equipment Laboratories
Attn: Dr. J. M. Gerken
23555 Euclid Avenue
Celveland, Ohio 44117

TRW
Electromechanical Division
Attn: Mr. E. A. Steigerwald
23555 Euclid Avenue
Cleveland, Ohio 44117

United Technology Center Attn: Mr. S. M. Jacobs P. O. Box 358 Sunnyvale, California 94088

University of Illinois Attn: Dr. Herbert T. Corten Dpet. of Theoretical & Applied Mechanics Urbana, Illinois

U. S. Steel Corporation Applied Research Laboratory Attn: Mr. J. H. Gross, Chief Ordnance Products Division Monroeville, Pennsylvania 15146

U. S. Steel Corporation Applied Research Laboratory Attn: Mr. G. E. Pellissier (MS-16) Monroeville, Pennsylvania 15146

U. S. Steel Corporation Attn: Elgin Van Meter 525 William Penn Place Pittsburgh, Pa.

Westinghouse Electric Corporation Advanced Development/Rocket Motor Case Department Attn: Mr. G. W. Ellenburg, Manager Lester Branch P. O. Box 9175 Philadelphia, Pennsylvania 19113

Westinghouse Electric Corporation Research & Development Center Attn: H. Greenberg, Manager Beulah Road, Churchill Boro Pittsburgh, Pa. 15235

Westinghouse Electric Corporation Research Laboratory Attn: Mr. E. T. Wessel Beulah Road, Churchill Boro Pittsburgh, Pa. 15235

Syman-Gordan Company
Research & Development Department
Attn: Mr. Robert B. Sparks
Worcester, Massachusetts